

# IRIScan® Book 5



# You slide, it scan.

This Quick User Guide helps you get started with the IRIScan™ Book 5 scanner.

This scanner is supplied with the software applications **Readiris™ Pro, IRISCompressor™ Pro** and **InstantResult™** (Windows only).

The descriptions in this guide are based on the Windows® 7, Mac® OS Sierra and iOS 8 Operating Systems. Please read this guide before operating this scanner and its software. All information is subject to change without prior notice.

To make sure you have the latest version of this documentation, to consult the Frequently Asked questions or to contact Technical Support visit <a href="https://www.irislink.com/support">www.irislink.com/support</a>.

#### Table of Contents

1. Prepare the Scanner	4
2. Buttons & Settings Overview	5
2.1 Overview of the Scanner Buttons	5
2.2 Overview of the Scanner Settings	6
3. Choose the Scanner Settings	9
3.1 Scanner Settings	9
3.2 Modify the settings	9
3.2.1 Modify the resolution and the output file format by using the buttons	9
3.2.2 Modify the settings within the menu	9
4. Scan Documents	11
4.1 Create multi-page PDF's	11
4.2 Check your scanned documents	12
4.3 Scan documents while using the micro USB cable	12
5. Transfer Scanned Documents to your Computer	15
5.1 Using the provided micro USB cable (Windows and Mac OS)	15
5.2 Using the microSD card adapter (Windows, Mac OS and Tablet)	15
6. Scan, Edit and Convert Images into Editable Text with InstantResult $^{\scriptscriptstyleTM}$ (Windows only)	17
6.1 Install InstantResult	17
6.2 Using InstantResult to scan	18
6.3 Using InstantResult to convert your scanned files into editable text	19
6.4 Using InstantResult to edit your scanned files	19
6.5 Using InstantResult to save your (recognized) scanned files	20
7. Technical Info	21
7.1 Minimum System Requirements Windows PC	21
7.2 Minimum System Requirements Mac OS	21
7.3 Scanner Specifications	21
8. Troubleshooting Info	22
9. Legal Notices	23
10. Compliance	25

## 1. Prepare the Scanner

#### Insert the included microSD card

• Insert the microSD card gently into the card slot until the card is latched.



**Note**: on a Windows PC, the **IRIScan Book 5** can also be used without microSD card with the InstantResult™ software. See section 6 <u>Scan, Edit and Convert Images into Editable Text with InstantResult™ (Windows only)</u>.

# 2. Buttons & Settings Overview

# 2.1 Overview of the Scanner Buttons



Button	Button Name	
SCAN [Ů] →	Scan/Power/Enter	
	Menu	
前	Delete	
DPI	Up/DPI	
JPG PDF	JPG/PDF/Multi-PDF/Down	
	Playback	
5	Back	
>	Right	

# 2.2 Overview of the Scanner Settings

Icon/Menu Option	Settings	Description
	MicroSD card	Transfer your scans via the provided micro SD card.
		You can also transfer them via the provided micro USB cable.
	PC mode	PC mode is available <b>only</b> when you connect the micro USB cable to your computer.
		See <u>Scan documents while using</u> the micro USB cable.
	Color  Color  B&W	Scan images in color or black-and-white (grey levels).
Color choice on the display		
JPG PDF PDF PDF PDF PDF	Output format of your scanned file	Save your images as JPG images, PDF files or multi-page PDF files.
11:28 0007		
Button and output format choice on the display		
DPI BOOM ROOM	Resolution  • 300 DPI  • 600 DPI  • 1200 DPI	Scan images in a resolution of 300, 600 or 1200 DPI.  300 dpi is ideal if you want to convert your scans into editable text on PC with the InstantResult software.

# Quick User Guide – IRIScan™ Book 5

Button and resolution choice on the display		600 and 1200 dpi are mostly used to scan photos.
JPG	Encryption	IRIScan Book can save images as encrypted files. That way the files can only be read on a computer if you connect the scanner to it. The files will not be readable directly on the microSD card.  By default, files are not encrypted.  To encrypt a file, select and then
<b>□</b> 3/2	Date and Time	With this setting you can add date and time info to your scans. The date and time are also shown on the display.
JPG	Card formatting	With this setting you can format the microSD card and delete its content when the card is full.  Note: formats the card. does not format the card.

## 3. Choose the Scanner Settings

**Note**: before you try to access the scanner settings, make sure the provided microSD card is inserted in the card slot.

#### 3.1 Scanner Settings

#### To access the scanner settings:

1. Press the Scan/Power/Enter button for 2 seconds to power on the scanner. The display lights up.



- 2. The scanner settings are available through
  - the Up/DPI, JPG/PDF/Multi-PDF/Down buttons



and/or

the Menu button



**Menu Options** 

#### 3.2 Modify the settings

#### 3.2.1 Modify the resolution and the output file format by using the buttons

Press the corresponding buttons repeatedly to select the desired option.
 The change is displayed each time.

#### 3.2.2 Modify the settings within the menu

- Press the Menu button.
- Navigate through the option groups with the **Up/DPI** and **JPG/PDF/Multi-PDF/Down** arrows and press the Scan/Power/**Enter** button.
- To select an option, press the Scan/Power/**Enter** button again.
- To go back to the display, press the **Menu** button.

#### 4. Scan Documents

- 1. Press the Scan/**Power**/Enter button for 2 seconds to power on the scanner.
- 2. Place your scanner at the top of the page you want to scan.
- 3. Press the **Scan**/Power/Enter button once. The word **Scan** appears on the display.
- 4. Slide the scanner **slowly** and **steadily** over the page.

**Tip**: hold the document steady with one hand while scanning.





5. When you have reached the bottom of the page, press the **Scan**/Power/Enter button again to stop scanning.

**Note**: in case an error occurs during scanning - when scanning too fast or not levelly for instance - the word **ERROR** appears on the display. See the section **Troubleshooting Info** for help.

#### 4.1 Create multi-page PDF's

1. Press the **JPG/PDF/Multi-PDF/Down** button until the multi-page PDF format is displayed.



- 2. Press the **Scan**/Power/Enter button.
- 3. Scan your page.
- 4. Press the **Scan**/Power/Enter button again to stop scanning.
- 5. Repeat steps 2-4 for any additional pages you want to add in your multi-page PDF.

  The number of your scanned images in your multi-page PDF is displayed next to the **Scan** indication.



- 6. When finished scanning, exit the multi-page PDF mode by pressing the **JPG/PDF/Multi-PDF/Down** button until JPG or PDF mode is displayed.
- 7. A quick preview of the document is displayed for a few seconds.

#### **Scanning Tip:**

When you're scanning a small, thick book it may occur that the margin is too narrow and you're not able to scan the entire text.

To solve this problem, place the scanner at the bottom of the page, turn it upside down and scan upwards. You'll notice that the scanner's right margin is smaller than the left.



#### 4.2 Check your scanned documents

- 1. Press the Playback button.
- 2. Press the **Up/DPI** and **JPG/PDF/Multi-PDF/Down** arrows to find the scanned image you want to check.
- 3. Press the Scan/Power/**Enter** button to confirm your choice and zoom the scanned image.
- 4. To navigate through the zoomed image, use the **Up/DPI** and **JPG/PDF/Multi-PDF/Down** arrows and the **Right** button.

Note that each time you press the Scan/Power/**Enter** button, you increase the zoom levels (up to x8).

5. To go back to the menu, press the Scan/Power/**Enter** button.

#### 4.3 Scan documents while using the micro USB cable

The provided micro USB cable can be used to

- Charge your scanner
- Transfer your scans to your computer/tablet
- Use the **InstantResult** software (*Windows only*)

Scanning documents is possible even when your scanner battery is empty and you charge it with the provided micro USB cable.

When you connect the micro USB cable to your computer, your scanner enters into the PC mode.



To start the scanning process:

- 1. Press the Menu button.
- 2. Press the Scan/Power/**Enter** button.
- 3. Use the **Up/DPI** and **JPG/PDF/Multi-PDF/Down** arrows to select the **SD card** option.



- 4. Press the Scan/Power/**Enter** button.
- 5. Press the **Scan**/Power/Enter button and start scanning.
- 6. When finished, press the **Scan**/Power/Enter button again.

## 5. Transfer Scanned Documents to your Computer

There are two ways to transfer scanned documents to your computer: by using the **micro USB cable** or by using the **microSD card adapter**.

#### 5.1 Using the provided micro USB cable (Windows and Mac OS)

- 1. Power on the IRIScan Book.
- 2. Plug in the provided micro USB cable in both the IRIScan Book and your computer.



3. The card memory containing your documents is displayed on your computer.



Example image for Windows

4. Open the card memory and move your documents to your computer. The documents are located in the folder **DCIM\100Media** of the removable disk.

#### 5.2 Using the microSD card adapter (Windows, Mac OS and Tablet)

1. Press the microSD card to unlatch it. Then remove it from the card slot.



2. Insert it in the provided microSD card adapter.



#### Quick User Guide – IRIScan™ Book 5

- 3. Insert the adapter into the SD card slot on your computer. If you cannot use the microSD card adapter, you can insert it in a memory card reader (not included) to connect it to your device.
- 4. The card memory containing your documents is displayed on your device.



Example image for iOS

5. Open the card memory and move your documents to your device. The documents are located in the folder **DCIM\100Media** of the removable disk.

Once you've transferred your documents to your Windows PC or Mac, they can be processed with **Readiris™ Pro**. For information on how to process your documents with **Readiris Pro** see the complete User Guides on <a href="https://www.irislink.com/support">www.irislink.com/support</a>.

# 6. Scan, Edit and Convert Images into Editable Text with InstantResult™ (Windows only)

With **InstantResult** you can use the **IRIScan Book 5** even without microSD card. You simply connect it to a Windows PC using the included micro USB cable.

More importantly, you can

- convert your scanned documents into editable text;
- perform editing actions such as image rotation, cropping, etc.;
- save them as non-editable (image files) or editable files (Word, PDF, etc.).

#### 6.1 Install InstantResult

- 1. Open your internet browser and go to <a href="http://www.irislink.com/start">http://www.irislink.com/start</a>.
- 2. Scroll down to IRIScan Book 5.
- 3. Click **Download** to download the software.
- 4. Go to the location where you downloaded the software and run the installation file.
- 5. Click **InstantResult** and follow the on-screen instructions.



6. Click **Finish** to complete the installation.

#### 6.2 Using InstantResult to scan


• Connect the **IRIScan Book 5** to your Windows PC using the included micro USB cable.



Press the Scan/Power/Enter button for 2 seconds to power on the scanner.
 Make sure the following icon appears on the display:



• Start InstantResult from the Windows Start menu.



- Place the scanner at the top of the document to scan.
- Press the **Scan**/Power/Enter button once. The word **Scan** appears on the display.
- Slide the scanner **slowly** and **steadily** over the page.

Your scanned image is instantly displayed in the **InstantResult** screen.



 When you have reached the bottom of the page, press the Scan/Power/Enter button again to stop scanning.

#### 6.3 Using InstantResult to convert your scanned files into editable text


Before scanning an image, select the language of the text in your image.

1. Click the **Settings** button.



#### 2. Click the **OCR** tab:

- Select the language(s) of the text to recognize (you can select up to 8 languages).
- Click OK.



3. To scan your images, follow the steps 4-7 of the section <u>Using InstantResult to scan</u>.

#### 6.4 Using InstantResult to edit your scanned files

• Edit the image file you've just scanned with the editing toolbar.



 Import existing image files (.TIF, .TIFF, .JPG, .JPEG, .BMP, .PNG, .J2K, .J2C) by clicking the button

Note: multi-page files and PDFs are not supported with this button.

#### 6.5 Using InstantResult to save your (recognized) scanned files



Save your scanned image as a .JPG or .Bmp image file.

Copy both images and recognized text from your scanned image to the clipboard.

You can, then, paste them elsewhere.

Save your recognized scanned image as a .DOCX, .PDF, .XLSX or .TXT file.

Copy only the recognized text from your scanned image to the clipboard.

You can, then, paste it elsewhere.

Save your recognized scanned image as a .PDF file.

Access the Scan and recognition (OCR) settings.

Save your recognized scanned image as a .DOCX file.

Print your scanned image.

Once you've transferred your documents to your Windows PC or Mac, they can be processed with **Readiris Pro.** 

For information on how to process your documents with **Readiris Pro** see the complete User Guide on **www.irislink.com/support** 

### 7. Technical Info

## 7.1 Minimum System Requirements Windows PC

Operating System	Windows 10, 8, 7 (no driver installation required)
СРИ	1 GHz processor or higher
RAM	2 GB
HD space	1 GB
Hardware	1 free USB port

## 7.2 Minimum System Requirements Mac OS

Operating System	Mac OS Yosemite 10.10, El Capitan 10.11 and Sierra 10.12 (no driver installation required)
СРИ	1 GHz processor or higher
RAM	2 GB
HD space	1 GB
Hardware	1 free USB port

## 7.3 Scanner Specifications

Image sensor	A4 Color (	Contact Image	Sensor	
Resolution	300 dpi (default), 600 dpi, 1200 dpi			
Maximum scanning speed	+- 3 seconds for A4 300 dpi color			
Capacity (based on 2 GB microSD card*) *The number of scans may vary depending on the		300 dpi	600 dpi	1200 dpi
content complexity.	Color	1600	600	190
	Mono	2000	800	190
Scan width	216mm			
Scan length	1200mm			
File format	JPG / PDF / Multi-page PDF			
Display panel	1.5" color	LCD		
USB Port	USB 2.0 h	igh speed		
External memory	MicroSD card (TF Card) up to 32 GB			
Integrated battery	(800mA) Li-iON battery			
Certifications	1. For unit: CE/LVD/EMC/RoHS/FCC/MIC Japan Radio law 2. For Lithium-iON battery: CE/38.3/FCC/UL/IEC62133			

# 8. Troubleshooting Info

Problem	Cause	Solution
I cannot turn on the scanner.	Low battery power.	Connect the scanner to a PC.
		Charge the scanner with an external power adapter.
Pictures cannot be saved after I've scanned them.	There's no microSD card in the card slot.	Insert a microSD card.
	The microSD card is full.	Move the images from the microSD card to your computer to clear storage space on the card.
		To format the card and delete its content:
		Press the Scan/ <b>Power</b> /Enter button for 2 seconds to power on the scanner.
		2. Press the <b>Menu</b> button.
		3. Go to the 2/3 option group and select the SD
		formatting option to delete the content of the microSD card.
My computer does not recognize the scanner when I connect it.	Connection failure.	Make sure both ends of the USB cable are connected securely.
		Use <b>only</b> the provided micro USB cable.
My scanner generates blurry images.	The scanner lens is probably dirty.	Clean the lens with a soft dry cloth.
<b>ERROR</b> is displayed when scanning a document.	You're sliding the scanner too quickly over your documents.	Press the <b>Scan</b> /Power/Enter button to scan your document again, steadily and slowly.
All the scanner buttons are blocked.	Multi-page PDF mode	Press the <b>JPG/PDF/Multi-PDF/Down</b> button until JPG or PDF mode is displayed.
<b>NO CALIB</b> error appears on the display of my scanner.	Calibration issue	Please contact Technical Support.

Should you experience issues when using **IRIScan Book 5**, consult the Frequently Asked Questions on our website or contact Technical Support at <a href="https://www.irislink.com/support">www.irislink.com/support</a>.

### 9. Legal Notices

ISB5\_pko\_20170330\_06

#### Copyrights

Copyrights © 2012-2017 I.R.I.S. All Rights Reserved.

I.R.I.S. owns the copyrights to all documentation regarding **IRIScan Book**.

The information contained in this document is the property of I.R.I.S. Its content is subject to change without notice and does not represent a commitment on the part of I.R.I.S. The software described in this document is furnished under a license agreement which states the terms of use of this product. The software may be used or copied only in accordance with the terms of that agreement. No part of this publication may be reproduced, transmitted, stored in a retrieval system, or translated into another language without the prior written consent of I.R.I.S.

This documentation uses fictitious names as examples; references to actual persons, companies or organizations are strictly coincidental.

#### **Trademarks**

The **IRIScan Book** logo and **IRIScan Book** are trademarks of Image Recognition Integrated Systems S.A. OCR technology by I.R.I.S.

AutoFormat and Linguistic technology by I.R.I.S.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

All other products mentioned in this documentation are trademarks or registered trademarks of their respective owners.

#### **Patents**

**IRIScan Book** is patent-protected. See the Release Note for more information.

### 10. Compliance

#### **RoHS and WEEE Compliance**

This product is compliant with RoHS Regulations of the European Parliament and Council Directive on the Restrictions of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (2011/65/EU), and with the Waste Electrical and Electronic Equipment (WEEE) Directive (2012/19/EU).

#### **FCC Radio Frequency Interference Statement**

This equipment has been tested and found to comply with the limits for the class B digital device, pursuant to part 15c of the FCC Rules. These limits are designed to provide reasonable protection against interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and if not installed, and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try and correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment has been certified to comply with the limits for a class B computing device, pursuant to FCC Rules. In order to maintain compliance with FCC regulations, shielded cables must be used with this equipment. Operation with non-approved equipment or unshielded cables is likely to result in interference to radio and TV reception. The user is cautioned that changes and modifications made to the equipment without the approval of manufacturer could void the user's authority to operate this equipment. This device complies with part 15c of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

