

Application Library

User's Guide

USRMA-2122-00 2017-03 en

Copyright CANON INC. 2017

Contents

What You Can Do with Application Librar	y 2
---	------------

Managing Applications	
Print Template	
Standby Slide	
Scan to Preset Destination	
ID Card Copy (Simple)	11
Consumables Information	
Сору (Есо)	13
Copy (BleedReduce)	
Setting the Home Screen Display	16


roubleshooting

What You Can Do with Application Library

What You Can Do with Application Library

1A92-000

Application Library is a facility that makes it possible that frequently used operations such as printing a usual document and checking the consumables information as well as convenient functions are registered in the form of applications. You can execute these applications in one-touch button operation from the Home screen. Make the best use of Application Library for time reduction and operational accuracy enhancement.



Available Applications

The available applications are listed below. These applications are preinstalled on the machine.

	"Print Template" (Print a usual document)
5	"Standby Slide" (Display an arbitrary file content as a slide)
4.	"Scan to Preset Destination" (Scan a document and send it to a registered destination)
	"ID Card Copy (Simple)" (Simple version of ID card copy)
	"Consumables Information"
	"Copy (Eco)" (Save paper in a big copy job)
	"Copy (BleedReduce)" (Reduce bleed-through when copying on thin paper)

Making Settings for Application Library

Settings for Application Library need to be made from the Remote UI. Log in to the Remote UI in System Manager mode, and then in the Portal page, click [Application Library].

What You Can Do with Application Library



NOTE

• Initial settings need to be made depending on the application. When a prompt image appears on the operation panel, make settings from the Remote UI. On how to operate the Remote UI, see the User's Guide for the machine model you are using.

Managing Applications

Managing Applications	5
Print Template	7
Standby Slide	8
Scan to Preset Destination	
ID Card Copy (Simple)	11
Consumables Information	12
Сору (Есо)	13
Copy (BleedReduce)	14

Managing Applications

Use the Remote UI to perform application management.

Start the Remote UI and log in to System Manager Mode. Click [Application Library] on the Portal page. 7 Login User: 7654321 Log 0 没 Remote UI: Portal 🗸 🖨 - Mail to Syste Language: trols Leet Updated:02/05/2017 09:32:26 AM mitor/Cancel **Device Basic Information** Device Status Printec Ready to print Scannet: CReedy to scan. Ready to send or receive faxes. dress Book Error Information No errors. Application Library Consumables Information

[Application Management] page appears. **OFunctions of [Application Management] Page(P. 5)**

Functions of [Application Management] Page

The [Application Management] page allows you to enable or disable each application and change the settings of each application.

Constant of the local division of the local	B7100.7040.70		176462/176562/			To Portal	Login User:	7654321	Log Out
Application Libra	iry .								
Device Serial Number SYS	00001								
Application Manage	ement	Applic	ation Management			Last Up	interd:02/01/201	17 OB 38:04 A	€ ∌ N
Home Screen Butto Settings	n Display		enabling an application, its butte pe Space Available:	on will not be d	isplayed on the	Home screen if	there is no sp	ace availabé	e for regist
		Applica	tion Name	Version	Total Size	Status		Operation	1
			Print Template	0109	6.41 MB	Enabled g	isable	Initialize	
		-	Standby Slide	0110	12.5 M8	trabled g	isable	Initialize	
		4.	Scan to Preset Destination	0100	-	Enabled g	isable	Intialize	
		ALL.	ID Card Copy (Simple)	0100	-	Enabled p	tuble	Initialize	
			Consumables Information	0100		Enabled p	isable		
			Copy (Eco)	0100	-	Enabled g	isable	Initialize	
			Copy (SleedReduce)	0100	-	trabled g	isable	Initialize	
		Ŧ					Сору	rger C MON	INC 2017

[] [Application Name]

Displays a list of applications installed on the machine. When you click the link of an application in the [Application Name] list, the settings page for that application appears.

Print Template(P. 7)

Standby Slide(P. 8)

Scan to Preset Destination(P. 10)

DID Card Copy (Simple)(P. 11)

1A92-001

Consumables Information(P. 12)
Copy (Eco)(P. 13)
Copy (BleedReduce)(P. 14)

2 [Status]

Enables or disables each application. Disabling an application hides the corresponding button on the Home screen.

[Operation]

Clicking [Initialize] returns the settings of the application to the factory defaults.

NOTE

- For some applications, the settings page may not be displayed depending on the browser you are using. If so, configure the settings in either of the following environment.
 - Internet Explorer: Ver. 10.0 or later
 - Safari: Ver. 6.0 or later

Print Template

1A92-002

You can quickly print an image or document that has been registered beforehand. Registering the template of a frequently used document, for example, allows you to print it quickly and easily whenever needed.

- CONTRACTOR	Without Party Party	CONTRACTOR CONTRACT			To Portal	Login User:	7854321	Log Out
Application Libra	ery:							
Device Servic Number SYS	\$09031							
Application Manag	treent	Print Template						
Home Screen Butto Settings	in Display	Print Template						
seways		Application Information						
		Vention:	0109					
		Total Size:	6.41 MD					
		Manage Registration Info	rmation					
	_	Available for registration. Registered Buttons Register New Dutton				_		
		Button Name	Size	Status				
		111	0.234MB	Display	Hide	Delete		
		222	0.2340/8	Display	Hide	Delete		
	_	x 2			3	Сору	ight CANON	INC 2017

[] [Register New Button]

Opens the [Register New Button] page. In this page, you can set the paper size, the number of copies to print, and the button name to be displayed on the Home screen, etc.

[Button Name]

Displays a list of registered buttons. Clicking the link of a button name in the [Button Name] list opens the [Button Details] page, which allows you to change or duplicate the settings of the corresponding button.

\rm [Status]

Displays or hide the button on the Home screen. If you want to delete the button, first hide it and then click [Delete].

NOTE

- The file formats that can be registered are only JPEG and PDF.
- The maximum total size of files that can be registered is 48 MB.
- If you select [Custom] in [Paper Size] when configuring button settings, you need to use the operation panel to register the desired custom size as <S1> in advance.

Standby Slide

1A92-003

You can register any desired image or text in the form of a slide and display it on the operation panel like a screen saver.

100 Million (1997)	1766 / WT165 / WE1/166 /	To Pertal	Login User	: 7654321 Log Out		
Application Library						
Device Serial Number SYS00001						
Application Management	Standby Slide					
Home Screen Batton Display	Standby Side					
Settings	Application Informatio	n				
	Version		0110			
	Total Size:		12.5 MB			
	Basic Settings					
						tek. 🔴
	Button Name		Standby Skde			
	Auto Start Slide:		01			
	Display Time per Slid	e	10 sec.			
	Manage Stides					
					- Ec	át Display Order.
	Registered Slides					
	negister New Side					
	Display Order	Rackground	d Text to Display	Site		
	1	A&&,pg		1.10	мв	Delete
	2	Black	123	OM		Delete
	x					
	· ·					
					Copy	rig + CANON INC. 2017
() () () () () () () () () ()	3		4			5
	2		t			5

[Edit]

Opens the [Edit Basic Settings] page. In this page, you can change the button name, make a setting so that the Home screen display automatically switches to a slide display, and set the display time of each slide.

[Edit Display Order]

Opens the [Edit Display Order] page. In this page, you can select the check box of the slide whose display order you want to change and then adjust the display order.

[Register New Slide]

Opens the [Register New Slide] page. In this page, you can set any desired background image or color, and set characters to show on the slide.

[Background]

Displays the name of the color or image file specified to be used as slide background. Clicking the link of a file name in the [Background] list opens the [Slide Details] page, which allows you to change or duplicate the settings of the corresponding slide.

5 [Delete]

Deletes each registered slide.

NOTE

- Up to 20 slides can be registered.
- The file formats that can be registered are only JPEG and PNG.

Managing Applications

• The maximum total size of files that can be registered is 48 MB.

Scan to Preset Destination

1A92-004

You can perform, in one-touch operation, a sequence of operations beginning with scanning of a document and ending with sending/saving of scanned data. This eliminates the labor of making settings each time document scanning becomes necessary. By default, no destinations are registered, so you need to make settings to register necessary destinations before using this application.

NOTE

• This application is only available with machine models provided with scan function.

attended to be a set of the set o	CONTRACTOR CONTRACTORS		To Portal	Login User:	7654321	Log Ou
Application Library						
bevice Serial NumberSYS08081						
Application Management	Scan to Preset Destination					
Home Screen Button Display	📥 Scan to Preset Dest	ination				
Settings	Application Information					
	Version:	0100				
	Narage Registration Information					
	Registered Buttons					
	Register New Button.					
	Button Name	Send Category	Status			
	Scan to Preset Destination	E-Mol	Displayed	Hide De	lete .	
				T		
	-					
				Copy	right CANDA	1340,200
	1 2			3		

[] [Register New Button]

Opens the [Register New Button] page. In this page, you can set the destination, scan size, and button name to be displayed on the Home screen.

[Button Name]

Displays a list of registered buttons. Clicking the link of a button name in the [Button Name] list opens the [Button Details] page, which allows you to change or duplicate the settings of the corresponding button.

[Status]

Displays or hide the button on the Home screen. If you want to delete the button, first hide it and then click [Delete].

ID Card Copy (Simple)

1A92-005

You can perform "ID Card Copy" in one-touch operation. "ID Card Copy" is a function to copy, in the same size, the front and back sides of an ID card such as a driver's license or health insurance card, onto the same side of a paper sheet. This function is useful when copying ID cards is needed in a business procedure, a public administration procedure, and so on. You can register multiple buttons covering different numbers of copies to print or different color modes to apply, and select and use the best-suited button for the printing purpose or the type of the document.

NOTE

• This application is only available with machine models provided with copy function.

and the second	1001 / WFT1001/T000_F1001 /		To Portal	Login User:	7654321	Log Out
Application Library						
Device Serial Number SYS00001						
Application Management	ID Card Copy (Simple)					
Home Screen Button Display	🏭 ID Card Copy (Simpl	e)				
Settings	Application Information					
	Version:	0100				
	Manage Registration Information					
	Registered Buttons					_
	Register New Button			_		
	Button Name	Status				
	ID Card Copy (Simple)	Displayed	Hide 0	elete		
	x l			_		_
			_			
			_	Соруг	IGNI CANON	INC 2017
_			_			
	2		3			

[Register New Button]

Opens the [Register New Button] page. In this page, you can specify the color mode, the number of copies, and the button name to be displayed on the Home screen.

[Button Name]

Displays a list of registered buttons. Clicking the link of a button name in the [Button Name] list opens the [Button Details] page, which allows you to change or duplicate the settings of the corresponding button.

🔁 [Status]

Displays or hide the button on the Home screen. If you want to delete the button, first hide it and then click [Delete].

Consumables Information

1A92-006

This application allows you to check the information on the consumables being used on the machine.

NOTE

• The button names used in Consumables Information are determined by default and cannot be changed.

Copy (Eco)

1A92-007

You can register a command for combined use of 2-sided copying mode and N on 1 mode, and execute that command in one-touch operation. Use of this application allows you to save paper when doing a large copy job. You can register multiple buttons covering different numbers of copies to print or different color modes to apply, and select and use the best-suited button for the printing purpose or the type of the document.

NOTE

• This application is only available with machine models provided with copy function.

1000 BT 100	1708 / WF100, Text, 1981 /		To Portal L	ogin Voor: 7654321 Log Out
Application Library				
Device Serial Number SY 508001				
Application Management	Copy (Rep)			
Home Screen Button Display	🛃 Copy (Eco)			
Settings	Application Information			
	Varsion:	0100		
	Manage Registration Informat	lion		
	Registered Buttons			
	Register New Button			
	Button Name	Status)	
	Copy (Boo)	Displayed	Hide Delete	
			T	
			_	
				Copyright CANON INC. 2017
			_	
	1 2		3	

[] [Register New Button]

Opens the [Register New Button] page. In this page, you can specify the color mode, the number of copies, and the button name to be displayed on the Home screen.

[Button Name]

Displays a list of registered buttons. Clicking the link of a button name in the [Button Name] list opens the [Button Details] page, which allows you to change or duplicate the settings of the corresponding button.

🔁 [Status]

Displays or hide the button on the Home screen. If you want to delete the button, first hide it and then click [Delete].

Copy (BleedReduce)

1A92-008

When you perform copying, this application allows you to reduce the degree of bleed-through (scanning of text or image printed on the back side). It is useful when you copy on thin paper. You can register multiple buttons covering different numbers of copies to print or different color modes to apply, and select and use the best-suited button for the printing purpose or the type of the document.

NOTE

• This application is only available with machine models provided with copy function.

arrest free	CONTRACTOR (MICHAEL)		To Portal Login Usor: 7654321 Log Ox
Application Library			
Device Serial Number SY 500001			
Application Management	Copy (BleedReduce)		
Home Screen Button Display	📑 Copy (BleedRed	uce)	
Settings	Application Information		
	Varsion:	0100	
	Manage Registration Information	tion	
	Registered Buttons		
	Register New Button		
	Button Name	Status	
	Copy (BleedReduce)	Displayed	Hide Delete
	x l		
			Copyright CANON INC. 200
			_
	1 2		3

[] [Register New Button]

Opens the [Register New Button] page. In this page, you can specify the color mode, the number of copies, and the button name to be displayed on the Home screen.

[Button Name]

Displays a list of registered buttons. Clicking the link of a button name in the [Button Name] list opens the [Button Details] page, which allows you to change or duplicate the settings of the corresponding button.

🔁 [Status]

Displays or hide the button on the Home screen. If you want to delete the button, first hide it and then click [Delete].

Setting the Home Screen Display

Setting the Home Screen Display	۲	16
---------------------------------	---	----

Setting the Home Screen Display

1A92-009

You can change the order in which the buttons are displayed in the Home screen. You can also insert or delete a blank between buttons. The following describes an example operation: moving the <Copy> button from top left to top right of the Home screen.



- Start the Remote UI and log in to System Manager Mode.
- **2** Click [Application Library] on the Portal page.

3 Click [Home Screen Button Display Settings].

The setup screen appears.

And a second sec	HEL/ HETTER/THE/THE/THE/	To Portal Login User: 7654321 Log Out
Application Library		
levice Serial NumberSYS00001		
Application Management	Home Screen Button Display Settings	Less Updates802/03/2017 0640/25 AM
Home Screen Button Display Settings	Change the display order of the buttons and click (CK) to appl Home speen.	
	Button Layout	
	1 2 3 4 9 10 11 12 17 1	88 19 20 25 26 27 28 23 34 25 22 23 24 29 97 53 52 57 58 59
	Betton Display Order	
	Move Up Move Down Insert Blank Line Dekter	slank tine
	Display Order Button Name	Application Name
	0 1 Copy	
	O 2 Fex	
	O 8 Scan	
	4 Memory Media Print	
	S Copy (Eco)	Copy (Eco)
	6 Copy (BleedReduce) 7 ID Card Copy (Simple)	Copy (BleedReduce)
	7 ID Card Copy (Simple) 8 Scan to Preset Destination	ID Card Copy (Simple) Scan to Preset Destination
	O 9 Secure Print	
	Manu	
	0 11	
	0 12	
	0 10	
	O 24	
	0 25	
	0 26	
	0 27	
	0 24	
	0 29	
	O 40	
	Move Up Move Down Insert Blank Line Delete	stank Line
	x	
		Copyright CANON INC. 2017

[Button Layout]

Shows the positions of the buttons in the Home screen. The numbers correspond to the numbers under [Button Display Order].

² Display order setting button

Setting the Home Screen Display

[Move Up] Each click moves the selected button one line up.

[Move Down] Each click moves the selected button one line down.

[Insert Blank Line] Each click inserts a blank into the Home screen.

[Delete Blank Line] Each click deletes a blank from the Home screen.

[Button Display Order]

Displays the display order of the buttons.

4 Under [Button Display Order], select [Copy].

5 Click [Move Down] repeatedly until [Copy] moves down to the line for Display Oder number [4].

6 Click [OK].

Troubleshooting

Гroubleshooting 19

Troubleshooting

If execution of the application fails, a message appears in the Home screen. The following describes the possible messages.

Could not start the application.

The button was pressed at the same time when the application was disabled.

• If the button remains displayed, press it again to execute the application.

Could not start the application because the necessary information is not registered. Register the information from Remote UI.

The information necessary for execution of the application has not been registered.

• Log in to the Remote UI in System Manager mode, and register the necessary information.

Cannot perform the operation because some settings have been changed from Remote UI, etc. Check the settings.

The current settings are such that the application cannot be executed.

• Log in to the Remote UI in System Manager mode, and change the settings.

This Font Software is licensed under the SIL Open Font License, Version 1.1.

This license is copied below, and is also available with a FAQ at: http://scripts.sil.org/OFL

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

PREAMBLE

The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in partnership with others.

The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including any derivative works, can be bundled, embedded, redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives, however, cannot be released under any other type of license. The requirement for fonts to remain under this license does not apply to any document created using the fonts or their derivatives.

DEFINITIONS

"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).

"Modified Version" refers to any derivative made by adding to, deleting, or substituting -- in part or in whole -- any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.

"Author" refers to any designer, engineer, programmer, technical writer or other person who contributed to the Font Software.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a copy of the Font Software, to use, study, copy, merge, embed, modify, redistribute, and sell modified and unmodified copies of the Font Software, subject to the following conditions: 1) Neither the Font Software nor any of its individual components, in Original or Modified Versions, may be sold by itself.

2) Original or Modified Versions of the Font Software may be bundled, redistributed and/or sold with any software, provided that each copy contains the above copyright notice and this license. These can be included either as stand-alone text files, human-readable headers or in the appropriate machine-readable metadata fields within text or binary files as long as those fields can be easily viewed by the user.

3) No Modified Version of the Font Software may use the Reserved Font Name(s) unless explicit written permission is granted by the corresponding Copyright Holder. This restriction only applies to the primary font name as presented to the users.

4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the Copyright Holder(s) and the Author(s) or with their explicit written permission.

5) The Font Software, modified or unmodified, in part or in whole, must be distributed entirely under this license, and must not be distributed under any other license. The requirement for fonts to remain under this license does not apply to any document created using the Font Software.

TERMINATION

This license becomes null and void if any of the above conditions are not met.

DISCLAIMER

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.