

# TECHNICAL DATA SHEET

## COCKPIT SPRAY LIME

Page 1 of 2

Reference nr

093243

Date of edition

09/11/21

**Product : COCKPIT SPRAY LIME**

**VAC Ref. nr : 093243**

**Composition :** A mixture of solvents, synthetic oil and perfume.  
Propellant : Butane/Propane.

**Dangerous components (conform MSDS) :**

Name Component	Concentration Range
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	≥ 25 < 50 %
Hydrocarbons, C6, isoalkanes, < 5 % n-hexane	≥ 25 < 50 %
Butane (≤ 0.1 % butadiene)	≥ 10 < 25 %
Propane	≥ 10 < 25 %
Isobutane	≥ 2.5 < 10 %
Propan-2-ol	≥ 2.5 < 10 %
Ethanol	≥ 2.5 < 10 %
n-Hexane	≥ 1 < 2.5 %
Cyclohexane	≥ 0 < 1 %
Limonene	≥ 0 < 1 %
Citral	≥ 0 < 1 %
Pin-2-(3)-ene	≥ 0 < 1 %

**Technical data :**

Density aerosol (20 °C) : ± 0.651 g/ml  
Pressure aerosol (20°C) : ± 3.0 bar

**Application :**

A spray to obtain a lasting shine. Only use the product conform the instructions on the aerosol.

**Directions for use :**

Store and use at room temperature. Shake well before use. Ensure that the surface to be treated is clean and dry. Spray from a distance of 20 cm, holding the can upright.

**Hazard pictograms :**



**Signal Word :**

Danger



# TECHNICAL DATA SHEET

## COCKPIT SPRAY LIME

Page 2 of 2

Reference nr

093243

Date of edition

09/11/21

### **Product identifiers :**

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  
Hydrocarbons, C6, isoalkanes, < 5 % n-hexane  
Propan-2-ol

### **Hazard statements :**

H222 : Extremely flammable aerosol.  
H229 : Pressurised container: May burst if heated.  
H315 : Causes skin irritation.  
H336 : May cause drowsiness or dizziness.  
H411 : Toxic to aquatic life with long lasting effects.

### **Precautionary statements :**

P101 : If medical advice is needed, have product container or label at hand.  
P102 : Keep out of reach of children.  
P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 : Do not spray on an open flame or other ignition source.  
P251 : Do not pierce or burn, even after use.  
P271 : Use only outdoors or in a well-ventilated area.  
P273 : Avoid release to the environment.  
P391 : Collect spillage.  
P405 : Store locked up.  
P410 + P412 : Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P501 : Dispose of container at an approved waste disposal plant.

### **Other hazards :**

Intentional misuse of the preparation by concentrating and breathing vapour could be harmful or fatal.