

KRUPS®



ESPRESSO CALVI MECA
PUMP ESPRESSO MANUAL XP34
XP344010

Authentic creamy espresso in a compact machine

The Calvi Steam & Pump Espresso Machine delivers outstanding espresso straight to your cup in no time, with compact thermoblock technology producing an average heat-up time of only 40 seconds and electronic temperature regulation for the ideal temperature from the very first cup. Achieve exceptional flavor extraction with 15-bar pump pressure, with a steam nozzle for cappuccino frothed to perfection and a range of enhanced settings and features for the perfect espresso package.

EDITORIAL DESCRIPTION

Authentic creamy espresso in a compact machine


Looking for the pure pleasure of coffee flavor and a special way to prepare it? Calvi offers you authentic, creamy espresso for a delicious experience. Its manual selection master helps you achieve perfect results in your cup, with a steam nozzle to ensure creamy cappuccinos, and an Italian pump with 15-bar pressure to improve flavor extraction with no bitterness. The compact design of this espresso machine features thermoblock technology for rapid pre-heating (40 sec average), while electronic temperature regulation guarantees an ideal temperature from the first cup to the last. Rounding it all off is an integrated storage for the adapted filters (two-cup and one-cup filter holder) and the coffee measuring spoon, for added convenience.

ETAILING DESCRIPTION

KRUPS CALVI Steam & Pump Espresso Machine XP3440

- 15-bar pump pressure for improved flavor extraction, with no bitterness
- Compact thermoblock for rapid pre-heating (40 sec average)
- Electronic temperature regulation for the ideal temperature from the first cup
- Steam nozzle to prepare creamy cappuccinos
- Manual selection to control the result in the cup
- Adapted filters: two-cup and one-cup filter holders
- Integrated storage for filters and coffee measuring spoon
- 1 L capacity water tank
- Removable water tank for easy filling

PRODUCT BENEFITS



Compact thermoblock technology

Advanced thermoblock technology provides outstanding performance in a compact format, for a rapid pre-heating cycle with an average duration of only 40 seconds.

Exceptional results through 15-bar pump pressure

Experience professional-grade quality delivered straight to your cup, with 15-bar pump pressure producing improved flavor extraction and no bitterness, for a difference you can taste.



Electronic temperature regulation

The perfect espresso and cappuccino starts with the perfect temperature. Electronic temperature regulation keeps the final result at the ideal temperature from the first cup to the last.

Steam nozzle for perfect cappuccino

Discover creamy cappuccino with froth at just the right consistency, ideal for a wide variety of drinks, for the indulgent experience of delicious creamy froth from the comfort of your own home.





Manual settings for coffee drinks your way

Adjustable manual settings add a high degree of control and precision to the drink-making experience, for coffee drinks tailored to perfection and delivered straight to your cup.

Single or double espresso

Choose from either a one-cup or two-cup filter holder for single or double espresso, and discover the perfect balance of strength and length to satisfy any taste.



Integrated storage system

An innovative storage system lets you store filters and the coffee-measuring spoon directly within the machine, for an easier espresso-making experience with maximum convenience.

Large-capacity water tank

A 1.1 L capacity provides enough for drink after drink, while the removable water tank improves the drink-making experience with effortless refills and unrivalled convenience.



Repairable at fair price - 15 years

- 6200 approved repairers worldwide

PRODUCT PHOTOS

Other product packshots - H2



Recipe photo(s)



Packaging 3D



IFU



safety sheet



PRODUCT FEATURES**MAIN FEATURES**

- 2 cups at once Yes
- Water tank capacity 1.1 L
- Heating system Thermoblock
- Milk foamer Steam nozzle

OTHER FEATURES

- Electronic temperature regulation Yes
- Compact thermoblock system Yes
- Tamping Manual with 1 or 2 cup filters Accessorie : spoon
- Possibility to use soft pods Yes
- Number of cups prepared at once 2
- Removable drip tray Yes
- Steam function Yes
- Auto off (switches off after) 5 MN
- Steam nozzle Yes
- Removable water tank Yes
- Colours METAL
- On/Off Switch Yes

- Country of origin China

LOGISTICS DATA**CMMF : 8000035224**

EAN CODE	PCS / PARCEL	PCS / LAYER	LAYER / PALLET	PCS / PALLET	PCS / CONTAINER
EAN ST : 0010942216650 EAN UC : 0010942216650	2	12	3	36	C20 : 1 008 C40 : 2 076 HQ4 : 2 408

	UNPACKED PRODUCT	PACKED PRODUCT	STANDARD PARCEL	PALLET
DIMENSIONS (D x W x H)	308 x 143 x 286 (mm)	368 x 198 x 351 (MM)	410 x 380 x 370 (MM)	1 200 x 800 x 1 244 (MM)
WEIGHT	3.455 (KG)	4,743 (KG)	9,485 (KG)	191,73 (KG)

RELATIONS**CMMF : 8000035224**

Switch (replace)	
Switch (is replaced by)	
Cross-sell	
Accessories	8000034655[XS801000], 8000033616[F054001B]
Linked to finished products	