

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - / - / -	Previous revision number: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial name : RASPBERRY & PATCHOULI
 UFI : 3250-T0M5-500F-P0QQ
 European product categorisation system (EuPCS): PC-AIR-4 - Air care products for vehicles

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses	CONSUMER	PROFESSIONAL	INDUSTRIAL
	EVA air freshener for small rooms		
Uses advised against	All those not expressly identified on the label		
Life cycle stages	C-Consumer use		

1.3 Details of the supplier of the safety data sheet

Joy Fragrances s.r.l.
 Via Gavinana, 14 - 21052 BUSTO ARSIZIO (VA) – Italy
 tel. +39 0331 536942 - www.mrandmrsfragrance.com
 email competent person info@joyfragrances.it

1.4 Emergency telephone number

Joy Fragrances s.r.l. - Tel +39 +39 0331 536942 – from 09,30 to 12,30 – from 15,30 to 19,30

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification in accordance with Regulation (EC) No 1272/2008:

The product is classified as dangerous pursuant to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adjustments), the product therefore requires a safety data sheet compliant with the provisions of Regulation (EU) 2020/878.

Hazard pictogram(s) : NONE
 Hazard Class and Notes Category Code(s) : Aquatic Chronic 3
 Hazard statement Code(s) : H412 - Harmful to aquatic life with long lasting effects

2.1.2 Adverse Effects

The product is dangerous for the environment as it is harmful to aquatic life with long lasting effects.

2.2 Label elements

2.2.1 Label in accordance with Regulation (EC) No 1272/2008

Hazard pictogram(s) : NONE



Signal Word Code(s) : NONE
 Hazard statement Code(s) : H412 - Harmful to aquatic life with long lasting effects
 Suppl. Hazard statement Code(s) : EUH208 – Contains: Linalyl acetate, tetramethyl acetyloctahydronaphthalenes. May produce an allergic reaction.
 Precautionary statements :

General

P101 - If medical advice is needed, have product container or label at hand.
 P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.

Disposal

P501 - Dispose of contents/container in accordance with local/ national regulation.

Other information: It is not a toy. Do not swallow. Do not leave the product exposed in environments with temperatures above 70 ° C. Do not use the product for purposes other than those intended. Avoid contact with shiny or metallic surfaces.

2.2.2 Additional regulations to be implemented on the label

Regulation (EC) 648/2004 : Not applicable
 Regulation (EU) 528/2012 : Not applicable

2.3 Other hazards

The mixture does NOT contain PBT / vPvB substances according to Regulation (EC) 1907/2006, annex XIII in concentrations equal to or greater than 0.1% by weight.
 The mixture does NOT contain substances that have been included in the list established in accordance with Article 59, paragraph 1 due to properties of interference with the endocrine system in concentrations equal to or greater than 0.1% by weight.

The mixture does NOT contain a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% by weight.

Child-resistant packaging (ISO 8317_ Child-resistant packaging - Requirements and testing procedures for reclosable packages) : **Not applicable**

Tactile warnings of danger (ISO 11683_Packaging - Tactile warnings of danger - Requirements) : **Not applicable**

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant

3.2 Mixtures

Refer to point 16 for the full text of the hazard statements. If "INDEX NUMBER" is present, everything below in bold is related to the harmonized classification while what is not in bold refers to self-classification.

Index number	EC/List n°.	CAS	REACH	International Chemical Identification		X= Conc. %
---	297-629-8	93685-81-5	01-2120752626-49	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		3,0 < x < 3,5
Hazard Class and Category Code(s), Hazard Statement Code(s)			Supplementary Hazard Statement Code(s)	Pictograms, Signal Word Code(s)	Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)	Notes
Flam. Liq. 3 H226, Asp. Tox. 1 H304, Aquatic Chronic 4 H413			EUH066	GHS02; GHS08 – DANGER	--	--

<div>Mr&Mrs</div> <div>FRAGRANCE</div>		MATERIAL SAFETY DATA SHEET				JEFF	
		RASPBERRY & PATCHOULI					
Current revision date: 04/07/2023		Current revision number: 00		Previous revision date: - / - / -			Previous revision number: - -
<div>Index number</div> <div>---</div>	<div>EC/List n°.</div> <div>204-116-4</div>	<div>CAS</div> <div>115-95-7</div>	<div>REACH</div> <div>01-2119454789-19</div>	<div>International Chemical Identification</div> <div>Linalyl acetate</div>	<div>X= Conc. %</div> <div>0,7 < x < 0,8</div>		
<div>Hazard Class and Category Code(s), Hazard Statement Code(s)</div> <div>Skin Irrit. 2 H315, Skin Sens. 1B H317, Eye Irrit. 2 H319</div>			<div>Classification</div> <div>Supplementary Hazard Statement Code(s)</div> <div>--</div>	<div>Pictograms, Signal Word Code(s)</div> <div>GHS07 - WARNING</div>	<div>Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)</div> <div>--</div>	<div>Notes</div> <div>--</div>	
<div>Index number</div> <div>---</div>	<div>EC/List n°.</div> <div>915-730-3</div>	<div>CAS</div> <div>54464-57-2</div>	<div>REACH</div> <div>01-2119489989-04</div>	<div>International Chemical Identification</div> <div>Tetramethyl acetyloctahydronaphthalenes</div>	<div>X= Conc. %</div> <div>0,7 < x < 0,8</div>		
<div>Hazard Class and Category Code(s), Hazard Statement Code(s)</div> <div>Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411</div>			<div>Classification</div> <div>Supplementary Hazard Statement Code(s)</div> <div>--</div>	<div>Pictograms, Signal Word Code(s)</div> <div>GHS07, GHS09 - WARNING</div>	<div>Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)</div> <div>--</div>	<div>Notes</div> <div>--</div>	
<div>Index number</div> <div>---</div>	<div>EC/List n°.</div> <div>268-979-9</div>	<div>CAS</div> <div>68155-67-9</div>	<div>REACH</div> <div>--</div>	<div>International Chemical Identification</div> <div>1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)</div>	<div>X= Conc. %</div> <div>0,25 < x < 0,30</div>		
<div>Hazard Class and Category Code(s), Hazard Statement Code(s)</div> <div>Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410</div>			<div>Classification</div> <div>Supplementary Hazard Statement Code(s)</div> <div>--</div>	<div>Pictograms, Signal Word Code(s)</div> <div>GHS07, GHS09 - WARNING</div>	<div>Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)</div> <div>M=1</div>	<div>Notes</div>	
<div>Index number</div> <div>---</div>	<div>EC/List n°.</div> <div>268-978-3</div>	<div>CAS</div> <div>68155-66-8</div>	<div>REACH</div> <div>--</div>	<div>International Chemical Identification</div> <div>1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)</div>	<div>X= Conc. %</div> <div>0,25 < x < 0,30</div>		
<div>Hazard Class and Category Code(s), Hazard Statement Code(s)</div> <div>Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 1 H410</div>			<div>Classification</div> <div>Supplementary Hazard Statement Code(s)</div> <div>--</div>	<div>Pictograms, Signal Word Code(s)</div> <div>GHS07, GHS09 - WARNING</div>	<div>Specific Concentration limits, M-Factors, Acute Toxicity Estimates (ATE)</div> <div>M=1</div>	<div>Notes</div>	

SECTION 4: First aid measures

4.1 Description of first aid measures

First aid instructions divided according to the relevant routes of exposure. It is advisable for those who provide first aid to wear the personal protective equipment deemed appropriate.

Inhalation

Given the specificity of the product and the reduced quantities of substances released, no conditions are expected to require first aid measures.

Skin

Wash areas of the body that have come into contact with the product, even if only suspected, with plenty of water and soap.

Eyes

Given the particular structure of the product, accidental contacts are unpredictable and of predominantly traumatic and / or voluntary origin. In the eventuality, apply fresh compresses and, if the painful phenomena persist, contact the medical staff.

Ingestion

SEEK MEDICAL ATTENTION IMMEDIATELY.

Most important symptoms and effects, both acute and delayed

Data not available

4.3 Indication of any immediate medical attention and special treatment needed

See section 4.1 Description of first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray, CO₂, alcohol resistant foam, chemical powders depending on the materials involved in the fire.

Unsuitable extinguishing media : None in particular

5.2 Special hazards arising from the substance or mixture

During combustion, fumes potentially harmful to health may be produced. If exposed to the flame it catches fire and continues to burn with a dim flame even if removed from the heat source.

5.3 Advice for firefighters

Use protective clothing for the respiratory tract, eyes and skin. The sprayed water can be used to disperse the vapors and protect the people involved in the extinction. It is also advisable to use self-contained breathing apparatus, especially if you work in closed and poorly ventilated places. Wear the specific protective equipment of the firefighting team. Given the polymeric characteristic of the material, the possible presence of significant quantities of product in the environments involved in the fire, can be a source of risk in causing the reignition of the fire in the presence of oxygen since the internal layers can conserve heat. It is therefore necessary, in the event of a fire in environments where large quantities of product have been involved, to proceed to dissipate the heat retained inside.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Move away from the area surrounding the spill or release. Not smoking.

For emergency responders : General information: Do not smoke. Use suitable personal protective equipment, see Section 8.

6.2 Environmental precautions

Contain leaks with inert material. Avoid dispersion and / or washout in the sewer system and surface waters. Dispose of the residue according to the regulations in force.

6.3 Methods and material for containment and cleaning up

Collect the product for possible reuse or disposal.

6.4 Reference to other sections

Refer to sections 8 and 13 for more information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Normal handling precautions for sensitizing chemicals, protecting yourself from any accidental contact. Do not smoke, eat, drink while handling.

7.2 Conditions for safe storage, including any incompatibilities

How to manage risks associated with:

- | | |
|---|---|
| i) explosive atmospheres | Nothing to report |
| ii) corrosive conditions | Nothing to report |
| iii) flammability hazards | Nothing to report |
| iv) incompatible substances or mixtures | Avoid contact with solvents which could damage the product. |

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - /- -/ -	Previous revision number: - -

- v) evaporative conditions
vi) potential ignition sources (including electrical equipment)

Keep in the original packaging, in well-ventilated areas at room temperature.
Keep away from open flames, sparks and sources of ignition in general. Appropriate maintenance of all electrical components of machines, systems and electrical installations in general can give a sufficient guarantee of reducing the fire risk.

How to control the effects of:

- i) weather conditions
ii) ambient pressure
iii) Temperature
iv) sunlight
v) humidity
vi) Vibration

Store inside in a dry environment.
Nothing to report
Store at room temperature
Do not store in direct sunlight.
Store away from moisture.
Nothing to report.

How to maintain the integrity of the substance or mixture by the use of:

- i) stabilisers
ii) antioxidants

Not relevant
Not relevant

Other advice including

- i) ventilation requirements
ii) specific designs for storage rooms or vessels (including retention walls and ventilation)
iii) quantity limits under storage conditions (if relevant)
iv) packaging compatibilities

Store in a cool and ventilated place.
Nothing to report

Observe the provisions resulting from the risk assessment carried out by a qualified specialist.
Keep in original packaging.

7.3 Specific end use(s)

Consumer uses: Follow the instructions on the label / box / information sheets.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Related to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated									
CAS:	93685-81-5									
GESTIS International Limit Values										
		Limit value – Eight hours				Limit value – Short term				
		ppm		mg/m³		ppm		mg/m³		
		--		--		--		--		
		Remarks								
		--								
Link DNEL value	https://echa.europa.eu/it/registration-dossier/-/registered-dossier/21760									
DNEL (Workers)					DNEL (Population)					
	Systemic		Local			Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term	
Inhalation	No hazard identified		No hazard identified		Inhalation	No hazard identified		No hazard identified		
Dermal	No hazard identified		No hazard identified		Dermal	No hazard identified		No hazard identified		
Oral	Not available		Not available		Oral	No hazard identified		Not available		
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified		
PNEC										
Freshwater	No data available: testing technically not feasible		Intermittent	Not available		Marine water	No data available: testing technically not feasible			
STP	No data available: testing technically not feasible		Sediment (freshwater)	No data available: testing technically not feasible		Sediment (marine water)	No data available: testing technically not feasible			
Air	No hazard identified		Soil	No data available: testing technically not feasible		Hazard for predators	No data available: testing technically not feasible			

Substance:	Linalyl acetate									
CAS:	115-95-7									
GESTIS International Limit Values										
		Limit value - Eight hours				Limit value - Short term				
		ppm		mg/m³		ppm		mg/m³		
		--		--		--		--		
		Remarks								
		--								
https://echa.europa.eu/it/registration-dossier/-/registered-dossier/14484										
DNEL (Workers)					DNEL (Population)					
	Systemic		Local			Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term	
Inhalation	2.75 mg/m³	No hazard identified	No hazard identified		Inhalation	0.68 mg/m³	No hazard identified	No hazard identified		
Dermal	2.5 mg/kg bw/day	No hazard identified	236.2 µg/cm²		Dermal	1.25 mg/kg bw/day	No hazard identified	236.2 µg/cm²		
Oral	Not available		Not available		Oral	0.2 mg/kg bw/day	No hazard identified	Not available		
Eyes	Not available		Low hazard (no threshold derived)		Eyes	Not available		Low hazard (no threshold derived)		
PNEC										
Freshwater	0.011 mg/L		Intermittent	0.11 mg/L		Marine water	0.001 mg/L			
STP	10 mg/L		Sediment (freshwater)	0.609 mg/kg sediment dw		Sediment (marine water)	0.061 mg/kg sediment dw			
Air	No hazard identified		Soil	0.115 mg/kg soil dw		Hazard for predators	No potential for bioaccumulation			

Substance:	Tetramethyl acetyloctahydronaphthalenes									
CAS:	54464-57-2									
GESTIS International Limit Values										
		Limit value - Eight hours				Limit value - Short term				
		ppm		mg/m³		ppm		mg/m³		
		--		--		--		--		
		Remarks								

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - -/ - -/ - -	Previous revision number: - -

https://echa.europa.eu/it/registration-dossier/-/registered-dossier/15069									
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	30 mg/m³	no hazard identified	no hazard identified		Inhalation	9 mg/m³	no hazard identified	no hazard identified	
Dermal	28.7 mg/kg bw/day	no hazard identified	648 µg/cm²	low hazard (no threshold derived)	Dermal	17.2 mg/kg bw/day	no hazard identified	380 µg/cm²	low hazard (no threshold derived)
Oral	Not available		Not available		Oral	3 mg/kg bw/day	no hazard identified	Not available	
Eyes	Not available		no hazard identified		Eyes	Not available		no hazard identified	
PNEC									
	Freshwater	4.4 µg/L		Intermittent	Not available		Marine water	0.44 µg/L	
	STP	10 mg/L		Sediment (freshwater)	3.73 mg/kg sediment dw		Sediment (marine water)	0.75 mg/kg sediment dw	
	Air	no hazard identified		Soil	2.7 mg/kg soil dw		Hazard for predators	26.7 mg/kg food	

Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)			
CAS:	68155-67-9			
GESTIS International Limit Values				
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m³	ppm	mg/m³
	--	--	--	--
	Remarks			
	--			

https: - -									
DNEL (Workers)					DNEL (Population)				
	Systemic		Local			Systemic		Local	
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term
Inhalation	30 mg/m³	No hazard identified	No hazard identified		Inhalation	9 mg/m³	No hazard identified	No hazard identified	
Dermal	28.7 mg/kg bw/day	No hazard identified	648 µg/cm²	Low hazard (no threshold derived)	Dermal	17.2 mg/kg bw/day	No hazard identified	380 µg/cm²	Low hazard (no threshold derived)
Oral	Not available		Not available		Oral	3 mg/kg bw/day	No hazard identified	Not available	
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified	
PNEC									
	Freshwater	4.4 µg/L		Intermittent	Not available		Marine water	0.44 µg/L	
	STP	10 mg/L		Sediment (freshwater)	3.73 mg/kg sediment dw		Sediment (marine water)	0.75 mg/kg sediment dw	
	Air	No hazard identified		Soil	2.7 mg/kg soil dw		Hazard for predators	26.7 mg/kg food	

Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)									
CAS:	68155-66-8									
GESTIS International Limit Values										
	Limit value - Eight hours					Limit value - Short term				
	ppm		mg/m³			ppm		mg/m³		
	- -		- -			- -		- -		
	Remarks									
	- -									
https: - -										
DNEL (Workers)					DNEL (Population)					
	Systemic		Local			Systemic		Local		
	Long term	Short term	Long term	Short term		Long term	Short term	Long term	Short term	
Inhalation	30 mg/m³	No hazard identified	No hazard identified		Inhalation	9 mg/m³	No hazard identified	No hazard identified		
Dermal	28.7 mg/kg bw/day	No hazard identified	648 µg/cm²	Low hazard (no threshold derived)	Dermal	17.2 mg/kg bw/day	No hazard identified	380 µg/cm²	Low hazard (no threshold derived)	
Oral	Not available		Not available		Oral	3 mg/kg bw/day	No hazard identified	Not available		
Eyes	Not available		No hazard identified		Eyes	Not available		No hazard identified		
PNEC										
	Freshwater	4.4 µg/L		Intermittent	Not available		Marine water	0.44 µg/L		
	STP	10 mg/L		Sediment (freshwater)	3.73 mg/kg sediment dw		Sediment (marine water)	0.75 mg/kg sediment dw		
	Air	No hazard identified		Soil	2.7 mg/kg soil dw		Hazard for predators	26.7 mg/kg food		

8.2 Exposure controls

8.2.1 Appropriate engineering controls

If, following the risk assessment and the adoption of preventive technical and / or organizational collective protection measures, it appears that there is still a residual risk for the worker, it is necessary to equip the worker with the Personal Protective Equipment.


The use of this mixture does not imply the application of Directive 2004/37 / EC on the protection of workers against the risks deriving from exposure to carcinogens or mutagens at work.

Descriptor for Process PROC19 - Manual activities involving hand contact categories:

8.2.2 Individual protection measures, such as personal protective equipment

The information below must be considered only as an aid to the Head of the Prevention and Protection Service as in addition to this mixture he will have to implement the choices on PPE also in consideration of the other chemical products present in the company used in each specific working phase.

a) EYE/FACE PROTECTION

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
	PPE for the eyes are second category and must be provided with indelible CE marking and the number of the Notified Body that issued the certification. Their use is foreseen in all places where there is a risk of projections of solid bodies, liquids or optical radiation. For eyeglass wearers, it is possible to use over	RISK CHARACTERISTICS	PROTECTION			
			Eyeglasses	Glasses with side shields	Mask glasses	Face shield
		Frontal sketches	Good	Good	Excellent	Excellent
		Side sketches	Scarso	Good	Excellent	Good / Excellent
		Frontal splinters	Excellent	Good	Excellent	Excellent if of adequate thickness


<div>Mr&Mrs</div> <div>FRAGRANCE</div>		MATERIAL SAFETY DATA SHEET				JEFF	
		RASPBERRY & PATCHOULI					
Current revision date: 04/07/2023		Current revision number: 00		Previous revision date: - /- -/- -		Previous revision number: - -	
Eye and face protection devices	glasses if the duration of use is limited or to mount graduated lenses on safety frames. Operators wearing contact lenses must make their condition known in order to make it easier, if necessary, to remove them by first aid workers in case of need in an emergency. Standard EN166 Personal eye protection - Specifications	Side impacts	Scant	Fairly good	Excellent	It depends on the length	
		Neck and face protection	Scant	Scant	Scant	Fairly good	
		Wearability	Good / Very good	Good	Fairly good	Good (for short periods)	
		Continuous use	Very good	Very good	Fairly good	Fairly good	
		Acceptability for use	Very good	Good	Scant	Fairly good	

The Head of the Prevention and Protection Service will assess the need to provide eyewash devices near the areas where the mixture is used.

IN NORMAL USE, NO PERSONAL PROTECTION DEVICES ARE PROVIDED

b) SKIN PROTECTION


i) Hand protection

PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
 Gloves	<p>The choice of gloves depends on the worker's job, the characteristics of the glove and its biocompatibility. The "grip" must always be guaranteed. The general requirements for choosing the most suitable PPE are: harmlessness, ergonomics / comfort, dexterity, transmission and absorption of water vapor and cleaning. Regarding these requirements, the reference technical standard is UNI EN 420 - Protective gloves. General requirements and test methods. Gloves that protect against chemicals are regulated by EN374 - Protective gloves against chemicals and microorganisms. The basic requirements for this type of gloves are: penetration and permeation. Chemical protective gloves are divided into three categories: Type A, B and C; the belonging to which depends on the number of chemicals tested, from a list of 18 substances that have reached a defined permeation time. Gloves must be checked before use. The choice of gloves based on resistance must be made following the UNI EN 16523 standard - Determination of the resistance of materials to the permeation of chemical products. Use proper technique to remove gloves avoiding skin contact with the contaminated outer surface of the glove. After use, wash and dry your hands.</p>	CHEMICAL PROTECTION				
		Type	Level	Time	Substances	
		A	2	30 minutes	minimum 6	
		B	2	30 minutes	minimum 3	
		C	1	10 minutes	minimum 1	
		MATERIALS FOR PROTECTION FROM CHEMICAL AGENTS				
			LATEX	NEOPRENE	NITRILE	PVC
		Highlights	Excellent flexibility and tear resistance	Polyvalent chemical resistance: acids, aliphatic solvents. Good resistance to sunlight and ozone.	Excellent resistance to abrasion and perforation. Excellent resistance to hydrocarbon derivatives	Good resistance to acids and bases
		Precautions	It can cause allergic reactions. Avoid contact with fatty oils and hydrocarbon derivatives.	Avoid contact with fatty oils and hydrocarbon derivatives	Avoid contact with solvents containing ketones and oxidizing acids, organic nitrogen products.	Weak mechanical resistance. Avoid contact with solvents containing ketones and aromatic solvents

The Head of the Prevention and Protection Service will assess the need to provide protective devices.

USE WATERPROOF GLOVES


ii) other

PITTOGRAM		PPE		METHOD OF CHOOSING THE PPE				
 Work clothing	PPE for the body can be of different categories depending on their specific use. Under normal working conditions, normal work clothing offers characteristics that provide sufficient protection for workers. In activities presenting particular risks, specific “protective clothing” should be used which covers or replaces personal clothing and which is designed with specific protective characteristics. The basic requirements relating to the ergonomics and health of PPE for the body are: harmlessness of the materials, comfort and effectiveness factors, design, thermal resistance of the clothing and the characteristics of the operators. Please note that to ensure adequacy and mobility with full-coverage protective clothing, it is recommended that all operators carry out the “seven movements” test. Standard EN 13688 Protective clothing - General requirements	DANGER	Full coverage garment		Partial coverage garment			
			Waterproof	Permeable to air	Waterproof	Permeable to air		
		Gas and fumes	A	NO	NO	NO		
		Jets of liquids	A	NO	P	NO		
		Splashes and splashes	A	P	P	P		
		Dust	A	A	P	P		
		Dirt	A	A	A	A		
		NO: Indicates that the possibility is not compatible - A: suitable combination - P: combination that depends on external conditions						
The protective clothing against chemicals, depending on the barrier performance of the raw material used and the packaging of the garment, have different types of protection: Type 1 (gas-tight), Type 2 (non-watertight gas), Type 3 (liquid tight), Type 4 (splash tight), Type 5 (dust tight), Type 6 (limited liquid splash tight). The chemical risks are many and it is therefore necessary to choose the most appropriate garment, also considering that the materials can be both waterproof and permeable, evaluating the combination between the type of protection offered by the construction techniques and the design adopted for the realization of the garment. itself and the performance class from the raw material.								

If the Head of the Prevention and Protection Service deems it necessary, protective clothing can be worn in combination with an appropriate respiratory protection device and with boots, gloves or other means of protection.

IN NORMAL USE, NO PERSONAL PROTECTION DEVICES ARE PROVIDED

c) RESPIRATORY PROTECTION


PITTOGRAM	PPE	METHOD OF CHOOSING THE PPE				
<div></div> <div>RPD (Respiratory protective devices)</div>	<p>PPE for respiratory protection are of the third category and must be provided with CE marking, the number of the Notified Body that issued the certification and must be provided only after information, training and specific training on their use. To define the type of RPD to use, pay attention to the oxygen rate present in the workplace, using the O₂ concentration of 17% as a limit. Carefully define the type of contaminant (Gas, steam / Dust, particles, viruses), its detection threshold and its use or not in a confined space.</p> <p>The UNI EN 529 standard (Respiratory protection devices - Recommendations for selection, use, care and maintenance - Guidance document) establishing the appropriate FPO value "operational protection factor" (eg use of face masks as per standard UNI EN149 - Respiratory protective devices - Filtering half mask against particles) can be a valid aid in determining the most correct PPE.</p>	DUST FILTERS				
		Efficiency	Dust class	RPD class and marking	Minimum total filtering efficiency	Protection
		LOW	Filters P1	Respirators FFP1	78%	Powders/Harmful aerosol
		AVERAGE	Filters P2	Respirators FFP2	92%	Powders/fumes/ low toxicity aerosol
		HIGH	Filters P3	Respirators FFP3	98%	Powders/fumes / Harmful aerosol
		GAS FILTERS				
		Capacity	Class	Maximum concentration		
		Low	1	Gas / vapor concentrations up to 1000 ppm		
		Average	2	Gas / vapor concentrations up to 5000 ppm		
		High	3	Gas / vapor concentrations up to 10000 ppm		
		TYPE OF FILTERS				
		Type	Protection			Filter color
		A	Organic gases and vapors with a boiling point> 65 ° C			BROWN
		B	Inorganic gases and vapors			GREY
		E	Acid gases			YELLOW
		K	Ammonia and derivatives			GREEN

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET				JEFF	
	RASPBERRY & PATCHOULI					
Current revision date: 04/07/2023	Current revision number: 00		Previous revision date: - /- /- -			Previous revision number: - -
			P	Toxic dusts, fumes, mists		WHITE
			AX (EN371)	Low boiling point organic gases and vapors <65 ° C		BROWN
	FACTORS TO CONSIDER	REASON	DUST FILTER RESPIRATORS			
	Type of substance	Correct choice of filter type	Filter respirator	Nominal Protection Factor	Operational Protection Factor	
	Concentrations	Need / opportunity to protect other parts of the face (eyes - face)	Facial Filter FFP1 Half mask + P1	4	4	
		Filter capacity in relation to exposure time	Facial Filter FFP2 Half mask + P2	12	10	
	Visibility	Reduction of protection	Facial Filter FFP3 Half mask + P3	50	30	
	Freedom of movement	Reduction of weight and discomfort	Full face + P1	5	4	
	Facial anatomy	Mask adequacy	Full face + P2	20	15	
	Environmental conditions		Full face + P3	1000	400	

The Head of the Prevention and Protection Service, as well as correctly defining the specific PPE for the activities, must pay attention to follow the instructions provided by the manufacturers of the various PPE.

IN NORMAL USE, NO PERSONAL PROTECTION DEVICES ARE PROVIDED

d) THERMAL HAZARDS

PITTOGRAM	PPE	OBSERVATIONS
 <div>Hot/Cold</div>	<p>The indications provided in this section define the PPE intended to protect against possible temperature variations that the mixture causes or that the mixture itself may undergo during normal working activities. PPE must protect against excesses in external temperature by maintaining body temperature, thermally insulate while maintaining permeability to water and air to ensure sweating and moisture removal, respectively, so as not to cause heat loss. In order to protect themselves from the cold, PPE must retain a degree of flexibility that allows the operator to perform the necessary actions and to assume certain positions. PPE intended for short-term interventions or likely to receive projections of hot products, must have a calorific capacity sufficient to return most of the stored heat only after the user has removed them.</p>	<p>PPE intended to protect against thermal differences must have an adequate heat flow transmission coefficient to avoid any risk of damage as required by the foreseeable conditions of use.</p> <p>The heat flow transmitted to the operator during the use of PPE must be such that its accumulation does not in any case reach the pain threshold or the one in which any harmful effect on health occurs. PPE must prevent, as far as possible, the penetration of liquids and must not cause injury caused by contact between their protective coating and the operator.</p>

The choice of this type of PPE must be made by guaranteeing thermal insulation power and mechanical and chemical resistance adequate to the foreseeable conditions of use that the Head of the Prevention and Protection Service deems necessary.

THE MIXTURE IS NOT EXPECTED TO CAUSE OR UNDERTAKE SIGNIFICANT TEMPERATURE CHANGES DURING THE INTENDED USE.

8.2.3 Environmental exposure controls

Prevent uncontrolled release into the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

The physical and chemical properties listed below are not to be considered technical specifications. The reference specifications are shown in the technical documentation.

Physical and chemical properties	Value	Notes or analytical method
a) Physical state	Solid	As defined in Annex I, section 1.0 of Reg. 1272/2008
b) Colour	Various	--
c) Odour	Characteristic of the fragrance	--
d) Melting point/freezing point	Not determined	--
e) Boiling point or initial boiling point and boiling range	Not determined	--
f) Flammability	NO	--
g) Lower and upper explosion limit	Not applicable	Not applicable to solids
h) Flash point	Not applicable	It does not apply to gases, aerosols and solids
i) Auto-ignition temperature	Not applicable	Applicable to gases and liquids only
j) Decomposition temperature	Not applicable	Applicable only to self-reactive substances and mixtures, organic peroxides and other substances and mixtures which can decompose.
k) pH	Not relevant	Insoluble in water
l) Kinematic viscosity	Not applicable	It only applies to liquids
m) Solubility	Insoluble in water	--
n) Partition coefficient n-octanol/water (log value)	Not applicable	It does not apply to inorganic and ionic liquids and, as a rule, does not apply to mixtures
o) Vapour pressure	Not determined	--
p) Density and/or relative density	Not determined	--
q) Relative vapour density	Not determined	--
r) Particle characteristics	Not determined	--

9.2 Other information

a) Explosives:	Not applicable
b) Flammable gases:	Not applicable
c) Aerosols:	Not applicable
d) Oxidising gases:	Not applicable
e) Gases under pressure:	Not applicable
f) Flammable liquids:	Not applicable
g) Flammable solids:	Not applicable
h) Self-reactive substances and mixtures:	Not applicable
i) Pyrophoric liquids:	Not applicable
j) Pyrophoric solids:	Not applicable
k) Self-heating substances and mixtures:	Not applicable
l) Substances and mixtures, which emit flammable gases in contact with water:	Not applicable
m) Oxidising liquids:	Not applicable
n) Oxidizing solids:	Not applicable
o) Organic peroxides:	Not applicable
p) Corrosive to metals:	Not applicable

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - /- - /-	Previous revision number: - -

q) Desensitised explosives:

Not applicable

9.2.2 Other safety characteristics

Other physical and chemical parameters:

COV (Directive 2010/75 / EC) : Not available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Stable under normal conditions of use and storage.

10.2 Chemical stability

Stable under normal conditions of use and storage.

10.3 Possibility of hazardous reactions

None known under normal conditions of use.

10.4 Conditions to avoid

- a) Temperature : do not subject to direct heating
 b) Pressure : nothing to report
 c) Light : nothing to report
 d) Static discharge : nothing to report
 e) Vibrations : nothing to report
 f) Other physical stresses : no data available

10.5 Incompatible materials

- a) Water : avoid contact
 b) Air : nothing to report
 c) Acids : avoid contact
 d) Bases : avoid contact
 e) Oxidising agents : avoid contact
 f) Reducing agents : avoid contact
 g) Chemicals : avoid contact

10.6 Hazardous decomposition products

Under normal conditions the preparation does not decompose. By thermal decomposition, fumes harmful to health can be developed.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Hazard classes		Information
a)	acute toxicity	: Not classified. based on available data, the classification criteria are not met.
b)	skin corrosion/irritation	: Not classified. based on available data, the classification criteria are not met.
c)	serious eye damage/irritation	: Not classified. based on available data, the classification criteria are not met.
d)	respiratory or skin sensitisation	: The presence of sensitizing substances, even in very low concentrations, can cause an allergic reaction.
e)	germ cell mutagenicity	: Not classified. based on available data, the classification criteria are not met.
f)	carcinogenicity	: Not classified. based on available data, the classification criteria are not met.
g)	reproductive toxicity	: Not classified. based on available data, the classification criteria are not met.
h)	STOT-single exposure	: Not classified. based on available data, the classification criteria are not met.
i)	STOT-repeated exposure	: Not classified. based on available data, the classification criteria are not met.
j)	aspiration hazard	: Not classified. based on available data, the classification criteria are not met.

Specific toxicological information for the substances contained (if available)

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
ORAL		INHALATION	DERMAL
Rat LD50: 5000 mg/kg bw		Rat LC50: 5000 mg/m ³ air	Rabbit LD50: 2200 mg/kg bw
			NOTES
			--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	Linalyl acetate		
CAS:	115-95-7		
ORAL		INHALATION	SKIN
Rat LD50: > 9000 mg/kg bw		--	Rabbit LD50: > 5000 mg/kg bw
			NOTES
			--

The values entered in this section are those available, at the time of writing this SDS, in the ECHA dossier in the Toxicological information section or from the supplier's indications.

EXPOSURE AND HEALTH EFFECTS	
Routes of exposure	Skin absorption
Inhalation risk	No indication can be given about the rate in which a harmful concentration of this substance in the air is reached on evaporation at 20 ° C.
Effects of short-term exposure	The substance is mildly irritating to the eyes.
Effects of long-term or repeated exposure	--

SYMPTOMS BY SPECIFIC ROUTE OF EXPOSURE	
Inhalation	--
Skin	--
Eyes	Redness.
Ingestion	--
Notes	--

Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
ORAL		INHALATION	DERMAL
Rat LD50: 5000 mg/kg bw		--	Rat LD50: 5000 mg/kg bw
			NOTES
			--

The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.

Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
ORAL		INHALATION	DERMAL
			NOTES

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - -/ - -/ - -	Previous revision number: - -
Rat LD50: > 5000 mg/kg bw	--	Rat LD50: > 5000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			
Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
ORAL	INHALATION	DERMAL	NOTES
Rat LD50: > 5000 mg/kg bw	--	Rat LD50: > 5000 mg/kg bw	--
The values included in this section are those available, at the time of writing this SDS, in the ECHA dossier in the section Toxicological information or from the supplier's indications.			

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.

11.2.2 Other information

No further data available

SECTION 12: Ecological information

Environmental Release Categories: ERC11a - Widespread use of articles with low release (indoor)

12.1 Toxicity

The product is dangerous for the environment as it is harmful to aquatic organisms following acute exposure.

Use according to good working practices, avoiding to disperse the product in the environment.

Ecotoxicological information specific to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated				
CAS:	93685-81-5				
LL50 – fish	96h: >100 mg/L	Species	Danio rerio	Guideline	OECD203
EL50 – aquatic invertebrates	48h: >100 mg/L	Species	Daphnia Magna	Guideline	OECD202
EL50 - algae and cyanobacteria	72h: >100 mg/L	Species	Raphidocelis subcapitata	Guideline	OECD201
NOEC Cronica fish	--	Species	--	Guideline	--
NOEC Cronica aquatic invertebrates	--	Species	--	Guideline	--
NOErL Cronic algae and cyanobacteria	72h: >100 mg/L	Species	Raphidocelis subcapitata	Guideline	OECD201
Substance:	Linalyl acetate				
CAS:	115-95-7				
LC50 – fish	96h: 11 mg/L	Species	Cyprinus carpio	Guidelines	OECD 203
EC50 – aquatic invertebrates	48h: 59 mg/L	Species	Daphnia magna	Guidelines	OECD 202
EC50 - aquatic algae and cyanobacteria	96h: 68 mg/L	Species	Pseudokirchneriella subcapitata	Guidelines	OECD 201
NOEC chronic fish	--	Species	--	Guidelines	--
NOEC chronic invertebrates	--	Species	--	Guidelines	--
NOEC chronic algae and cyanobacteria	96h: 3.9 mg/L	Species	Pseudokirchneriella subcapitata	Guidelines	OECD 201
Substance:	Tetramethyl acetyloctahydronaphthalenes				
CAS:	54464-57-2				
LC50 – fish	96h: 1.3 mg/L	Species	Lepomis macrochirus	Guidelines	OECD 203
EC50 – aquatic invertebrates	48h: 1.38 mg/L	Species	Daphnia magna	Guidelines	OECD 202
EC50 - aquatic algae and cyanobacteria	72h: > 2.6 mg/L	Species	--	Guidelines	OECD 201
NOEC chronic fish	30d: 0.54 mg/L	Species	Zebra fish	Guidelines	OECD 210
NOEC chronic invertebrates	21d: 0.044 mg/L	Species	Daphnia magna	Guidelines	OECD 211
NOEC chronic algae and cyanobacteria	72h: > 2.6 mg/L	Species	Scenedesmus subspicatus	Guidelines	OECD 201
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)				
CAS:	68155-67-9				
LC50 – fish	96h: 0.563 mg/l	Species	Lepomis macrochirus	Guidelines	OECD 203
EC50 – aquatic invertebrates	48h: 1.38 mg/l	Species	Daphnia magna	Guidelines	OECD guideline 202
EC50 - aquatic algae and cyanobacteria	72h: > 2.6 mg/l	Species	Scenedesmus subspicatus	Guidelines	OECD guideline 201
NOEC chronic fish	--	Species	--	Guidelines	--
NOEC chronic invertebrates	--	Species	--	Guidelines	--
NOEC chronic algae and cyanobacteria	72h: ≥ 2.6 mg/l	Species	Scenedesmus subspicatus	Guidelines	OECD guideline 201
Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)				
CAS:	68155-66-8				
LC50 – fish	96h: 0.563 mg/l	Species	Lepomis macrochirus	Guidelines	OECD 203
EC50 – aquatic invertebrates	48h: 1.38 mg/l	Species	Daphnia magna	Guidelines	OECD guideline 202
EC50 - aquatic algae and cyanobacteria	72h: > 2.6 mg/l	Species	Scenedesmus subspicatus	Guidelines	OECD guideline 201
NOEC chronic fish	--	Species	--	Guidelines	--
NOEC chronic invertebrates	--	Species	--	Guidelines	--
NOEC chronic algae and cyanobacteria	72h: ≥ 2.6 mg/l	Species	Scenedesmus subspicatus	Guidelines	OECD guideline 201

12.2 Persistence and degradability

May cause long-term adverse effects in the aquatic environment.

Specific biodegradation information for the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
Biodegradation in water	Readily biodegradable	Test time	--
Substance:	Linalyl acetate		
CAS:	115-95-7		
Biodegradation in water	Readily biodegradable	Test time	28d
Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
Biodegradation in water	Not biodegradable	Test time	42d
Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET			JEFF
	RASPBERRY & PATCHOULI			
Current revision date: 04/07/2023	Current revision number: 00		Previous revision date: - -/ - -/ - -	Previous revision number: - -
CAS: 68155-67-9				
Biodegradation in water		Not biodegradable	Test time	42d

Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Biodegradation in water	Not biodegradable	Test time	42d

12.3 Bioaccumulative potential

Data not available for the mixture.

Bioaccumulation information specific to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated		
CAS:	93685-81-5		
Partition coefficient: n-octanol/water	log Pow \geq 5.6 - \leq 6.65 at 20°C		
BCF	Not available		

Substance:	Linalyl acetate		
CAS:	115-95-7		
Partition coefficient: n-octanol / water	Log Kow (Log Pow): - 3.9 at 25 °C		
BCF	174 L/kg w/w		

Substance:	Tetramethyl acetyloctahydronaphthalenes		
CAS:	54464-57-2		
Partition coefficient: n-octanol / water	Log Kow (Log Pow): 5.65 at 30°C		
BCF	391 L/kg ww		

Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
Partition coefficient: n-octanol/water	Log Kow (Log Pow): 5.65 at 30°C		
BCF	To aquatic organism 391. To terrestrial organism 5361 l/kg ww.		

Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Partition coefficient: n-octanol/water	Log Kow (Log Pow): 5.65 at 30°C		
BCF	To aquatic organism 391. To terrestrial organism 5361 l/kg ww.		

12.4 Mobility in soil

No data available.

Mobility information in soil specific to the substances contained

Substance:	Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated
CAS:	93685-81-5
The standard tests for this endpoint are intended for individual substances and are not appropriate for these complex substances.	

Substance:	Linalyl acetate
CAS:	115-95-7
Log Koc = 2,6359 (Koc a 20 °C: 432.4) on the basis of this result, adsorption to the solid phase of soil is not expected.	

Substance:	Tetramethyl acetyloctahydronaphthalenes
CAS:	54464-57-2
Koc at 20°C: 12589 [Log Koc: 4.12]	

Substance:	1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-67-9		
Koc at 20 °C: 12 589 [LogKoc: 4.12]			

Substance:	1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one (INCI: Tetramethyl Acetyloctahydronaphthalenes)		
CAS:	68155-66-8		
Koc at 20 °C: 12 589 [LogKoc: 4.12]			

12.5 Results of PBT and vPvB assessment

The chemical safety report is not required for the mixture. However, based on the available data, the mixture does not contain PBT or vPvB substances in a percentage higher than 0.1 in accordance with Regulation 1907/2006, annex XIII.

12.6 Endocrine disrupting properties

The mixture does NOT contain substances identified as having endocrine-disrupting properties in accordance with the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1% in weight.

12.7 Other adverse effects

Classification for water pollution in Germany (AwSV, vom 18. April 2017): WGK 2: Dangerous for the waters.

SECTION 13: Disposal considerations

The substance/mixture shall not be removed through the sewerage system.

13.1 Waste treatment methods

Container material and type:

Glass / Plastic / Paper / Metal / Composite (identify the exact material from the symbols on the packaging).

Methods for waste treatment of the substance or mixture:

DANGER FEATURES (Directive 2008/98 / EC)	:	HP14 - Ecotoxic
RECOVERY OPERATIONS (Directive 2008/98 / EC)	:	R13 - Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage, pending collection, on the site where the waste is produced)
DISPOSAL OPERATIONS (Directive 2008/98 / EC)	:	D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12
EER CODE	:	20 01 39 Plastics

Methods for handling any contaminated packaging:

DANGER FEATURES (Directive 2008/98 / EC)	:	HP14 - Ecotoxic
--	---	-----------------

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - /- -/ -	Previous revision number: - -

RECOVERY OPERATIONS (Directive 2008/98 / EC) : R13 - Storage of waste pending any of the operations numbered R 1 to R 12 (excluding temporary storage, pending collection, on the site where the waste is produced)

DISPOSAL OPERATIONS (Directive 2008/98 / EC) : D13 - Blending or mixing prior to submission to any of the operations numbered D 1 to D 12

EER CODE : 15 01 02 plastic packaging

Physical / chemical properties that can affect waste treatment:

None known

Special precautions for recommended waste treatment:

The hazard characteristics, disposal and recovery operations and the suggested EWC codes refer to the product as it is without considering any changes due to use. It is therefore recommended, before disposal, to reclassify the waste, also evaluating its origin. Any mixing of different types of non-hazardous waste and any mixture of different hazardous waste is prohibited (Article 23 of Directive 2008/98 / EC). Disposal must be entrusted to an authorized waste treatment company, in compliance with national and possibly local regulations

SECTION 14: Transport information

Not included in the scope of the dangerous goods transport regulations: by road (ADR); by rail (RID); by air (ICAO/IATA); by sea (IMDG)

		ADR	IMDG	IATA
14.1	UN number or ID number		Not applicable	
14.2	UN proper shipping name		Not applicable	
	Technical name		Not applicable	
14.3	Transport hazard class(es)		Not applicable	
	Label		Not applicable	
14.4	Packing group		Not applicable	
	Limited quantities			
	Internal packaging (primary)		Not applicable	
	Outer packaging ⁽¹⁾		Not applicable	
	Packing Instruction		Not applicable	
	Tunnel restriction code		Not applicable	
	EmS		Not applicable	
	Stowage and segregation		Not applicable	
14.5	Environmental hazards		Not applicable	
	Marine pollutant		Not applicable	
14.6	Special precautions for user		Not applicable	
14.7	Maritime transport in bulk according to IMO instruments		Not applicable	

1:30 kg in the case of boxes - 20 kg in the case of trays with stretch or shrink film

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Commission Delegated Regulation (EU) 2017/2100 of 4 September 2017 setting out scientific criteria for the determination of endocrine-disrupting properties pursuant to Regulation (EU) No 528/2012 of the European Parliament and Council.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives

COMMISSION DECISION of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

Category SEVESO:

Not applicable

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

The mixture does not contain an explosive precursor.

15.2 Chemical safety assessment

Chemical safety assessment for the mixture not foreseen. This safety data sheet contains one or more Exposure Scenarios in an integrated form. The content, where relevant, has been included in sections 1.2, 8, 9, 12, 15 and 16 of the same safety data sheet

SECTION 16: Other information

16.1 Indication of any points of the SDS that have been revised

This sheet completely replaces all previous versions.

16.2 Key abbreviations and acronyms used in this SDS

APVR	Respiratory protective equipment	FPO	Operational protection factor
ATE	Acute Toxicity Estimates	GHS	Globally Harmonized System
BCF	Bioconcentration Factor	HP	Hazardous Properties
CAS	Chemical abstract service	IMO	International Maritime Organization
CE	European Community	ISO	International Standard Organization
CLP	Classification, Labelling and Packaging	LC50	Median lethal concentration
COV	Volatile Organic Compounds	LD50	Median lethal dose
DNEL	Derived No Effect Level	N.A.S.	Not otherwise specified
DPI	Dispositivi di Protezione Individuale	NOEC	No observed effect concentration
EC	European Community	ONU	United Nations Organization
EC50	Half maximal effective concentration	PBT	Persistent, Bioaccumulative and Toxic Substances
ECHA	European Chemicals Agency	vPvB	Very Persistent and very Bioaccumulative substances
EER	European Waste List	ppm	Parts per million
EmS	Emergency Schedules	PROC	Category of processes
EN	European normalization	REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
ERC	Environmental release categories	STOT	Specific target organ toxicity

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - -/ -/ - -	Previous revision number: - -
<div>EUH</div> <div>EuPCS</div> <div>FPN</div> <div>FFP</div>	<div>Supplemental hazard information</div> <div>European Product Categorisation System</div> <div>Protection factor Nominal</div> <div>Filtering Facepiece</div>	<div>STP</div> <div>UE</div> <div>UFI</div> <div>UNI</div>	<div>Sewage treatment plant</div> <div>European Union</div> <div>Unique Identifier of Formula</div> <div>Italian Standard Organization.</div>

16.3 Full text of the Classification Information set out in Section 3

Description of the hazard class and category codes set out in section 3	Description of the hazard statements set out in section 3
Flam. Liq. 3	H226 = Flammable liquid and vapour
Asp. Tox. 1	H304 = May be fatal if swallowed and enters airways.
Acquatic Chronic 4	H413 = May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	H315 = Causes skin irritation
Skin Sens. 1B	H317 = May cause an allergic skin reaction.
Eye Irrit. 2	H319 = Causes serious eye irritation.
Skin Sens. 1	H317 = May cause an allergic skin reaction.
Acquatic Chronic 2	H411 = Toxic to aquatic life with long lasting effects
Aquatic Acute 1	H400 = Very toxic to aquatic life.
Codice EUH	
M-Factor	

16.4 Bibliographical references and main data sources

ECHA European Chemicals Agency TOXNET Toxicology Data Network CheLIST Chemical Lists Information System IPCS International Programme on Chemical Safety (Cards)	OSHA European Agency for Safety and Health at Work WHO World Health Organization ICSCs International Chemical Safety Cards NIOSH Registry of toxic effects of chemical substances (1983)	IARC International Agency for Research on Cancer ACGIH American Conference of Governmental Industrial Hygienists ILO International Labour Organization IFA Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung
--	---	--

16.5 Normative references and / or documents (from which the data in section 8.1 derive)

Code ⁽¹⁾	State	Bibliography / documents --> LINK	
AUS	Australia	https://www.dguv.de/ifa/...../limit-values-australia/index-2.jsp	https://engage.swa.gov.au/workplace-exposure-standards-review
		https://www.safeworkaustralia.gov.au/exposure-standards#exposure-standards-in-australia	
AUT	Austria	https://www.dguv.de/ifa/...../limit-values-austria/index-2.jsp	https://www.jusline.at/gesetz/gkv_2011
		https://www.ris.bka.gv.at/GeltendeFassung.wxe?Abfrage=Bundesnormen&Gesetzesnummer=20001418	
BEL	Belgium	https://www.dguv.de/ifa/...../limit-values-belgium/index-2.jsp	https://employment.belgium.be/en
BGR	Bulgaria	https://pirogov.eu/bgr/	
CAN	Canada-Ontario	https://www.dguv.de/ifa/...../limit-values-canada-ontario/index-2.jsp	https://www.labour.gov.on.ca/english/hs/pubs/oel_table.php
CAN	Canada-Québec	https://www.dguv.de/ifa/...../limit-values-canada-quebec/index-2.jsp	http://legisquebec.gouv.qc.ca/fr/showdoc/cr/S.....
		https://www.csst.qc.ca/Pages/index.aspx	
CYP	Cyprus	http://www.mlsi.gov.cy/	
CAE	Czech Republic	https://www.mzcr.cz/	
HRV	Croatia	https://www.hzt.hr	
DNK	Denmark	https://www.dguv.de/ifa/...../limit-values-denmark/index-2.jsp	https://www.retsinformation.dk/eli/Ita/2019/1458
EST	Estonia	http://www.16662.ee/	
EU ⁽²⁾	European Union	https://www.dguv.de/ifa/...../limit-values-european-union/index-2.jsp	https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:31998L0024
		https://eur-lex.europa.eu/legal-content/EN/TXT/?qid=1523372586043&uri=CELEX:32004L0037	
FIN	Finland	https://www.dguv.de/ifa/...../limit-values-finland/index-2.jsp	https://julkaisut.valtioneuvosto.fi/handle/10024/160967
FRA	France	https://www.dguv.de/ifa/...../limit-values-france/index-2.jsp	https://www.anses.fr/fr
		http://www.inrs.fr/accueil/dms/inrs/CataloguePapier/ED/TI-ED-984/ed984.pdf	
DEU	Germany (AGS)	https://www.dguv.de/ifa/...../limit-values-germany-ags/index-2.jsp	https://www.baua.de/DE/...../Regelwerk/TRGS/pdf/TRGS-900.pdf
DEU	Germany (DFG)	https://www.dguv.de/ifa/...../limit-values-germany-dfg/index-2.jsp	https://www.dfg.de/en/dfg_profile/...../health_hazards/index.html
		https://www.dfg.de/dfg_profil/gremien/senat/arbeitsstoffe/publikationen/index.html	
GRC	Greece	http://www.gcsl.gr/	
HUN	Hungary	https://www.dguv.de/ifa/...../limit-values-hungary/index-2.jsp	https://www.biztonsagiadatlap.hu/...../5_2020-II-6-ITM-rendelet.pdf
ISL	Iceland	https://www.ust.is/the-environment-agency-of-iceland/chemicals/	
IRL	Ireland	https://www.dguv.de/ifa/...../limit-values-ireland/index-2.jsp	https://www.hsa.ie/eng/...../2016_CodePracticeChemicalAgentsRegulations/
ITA	Italy	https://www.dguv.de/ifa/...../limit-values-italy/index-2.jsp	http://www.preparatipericolosi.iss.it
JPN	Japan (MHLW)	https://www.dguv.de/ifa/...../limit-values-japan/index-2.jsp	https://www.mhlw.go.jp/english/index.html
JPN	Japan (JSOH)	https://www.dguv.de/ifa/...../limit-values-japan-jsoh/index-2.jsp	https://www.sanei.or.jp/
LVA	Latvia	https://www.dguv.de/ifa/...../limit-values-latvia/index-2.jsp	https://likumi.lv/doc.php?id=157382&from=off
LTU	Lithuania	http://www.gamta.lt/	
LUX	Luxembourg	http://www.ms.public.lu/fr/	
MLT	Malta	https://mccaa.org.mt/	
NZL	New Zealand	https://www.dguv.de/ifa/...../limit-values-new-zealand/index-2.jsp	https://worksafe.govt.nz/.work-health/./std-biol-exposure-indices/
NOR	Norway	http://www.miliodirektoratet.no/	https://www.fhi.no/en/
CHN	People's Republic of China	https://www.dguv.de/ifa/...../limit-values-china/index-2.jsp	http://www.nhfp.gov.cn/zhuz/pyl/200704/38838.shtml
POL	Poland	https://www.dguv.de/ifa/...../limit-values-poland/index-2.jsp	http://www.ciop.pl/
PRT	Portugal	http://www.inem.pt/ciav	
ROU	Romania	https://www.dguv.de/ifa/...../limit-values-romania/index-2.jsp	http://www.mmuncii.ro/...../5114-11042018_modif_HG-1218_Ag_chimici.pdf
SGP	Singapore	https://www.dguv.de/ifa/...../limit-values-singapore/index-2.jsp	https://sso.agc.gov.sg/Act/WSHA2006
SVK	Slovakia	http://www.ntic.sk/	
SVN	Slovenia	http://www.uk.gov.si/	
KOR	South Korea	https://www.dguv.de/ifa/...../limit-values-south-korea/index-2.jsp	http://www.kiha.kr/main/community_view.htm?uid=763&btn=gonggi&page=3
ESP	Spain	https://www.dguv.de/ifa/...../limit-values-spain/index-2.jsp	https://www.insst.es/
SWE	Sweden	https://www.dguv.de/ifa/...../limit-values-sweden/index-2.jsp	https://www.av.se/./hygieniska-gransvarden-afs-20181-foreskrifter/
CHE	Switzerland	https://www.dguv.de/ifa/...../limit-values-switzerland/index-2.jsp	http://suissepro.org/
		https://www.suva.ch/de-CH/.....	
NLD	The Netherlands	https://www.dguv.de/ifa/...../limit-values-the-netherlands/index-2.jsp	https://www.ser.nl/en
		https://wetten.overheid.nl/BWBR0008587/2017-07-01#BijlageXIII	
TUR	Turkey	https://www.dguv.de/ifa/...../limit-values-turkey/index-2.jsp	
USA	USA - NIOSH	https://www.dguv.de/ifa/...../limit-values-usa-niosh/index-2.jsp	https://www.cdc.gov/niosh/
USA	USA - OSHA	https://www.dguv.de/ifa/...../limit-values-usa-osha/index-2.jsp	www.osha.gov
GBR	United Kingdom	https://www.dguv.de/ifa/...../limit-values-united-kingdom/index-2.jsp	https://www.hse.gov.uk/research/hsl_pdf/2002/hsl02-23.pdf

⁽¹⁾ ISO3166-1 alpha-3 ⁽²⁾ NO ISO CODE

16.6 Procedures used to derive classification under Regulation (EC)1272/2008 [CLP] in relation to mixtures

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - - / - - / - -	Previous revision number: - -
Classification according to Regulation (EC) No. 1272/2008		Classification procedure	
H412 Aquatic Chronic 3		Additivity theory - Annex I, section 4.1.3 - Hazardous to the aquatic environment	

16.7 Any appropriate training courses for workers in order to ensure the protection of human health and the environment

- Training course on the management and interpretation of the SDS
- Training on the use of PPE

More information

Safety Data Sheet compliant with regulation (EU) n. 2020/878 of 18 June 2020

This document has been drawn up by a competent SDS technician who has received adequate training and is certified according to the reference practice UNI / PdR 60: 2019. Certificate issued by INTERTEK ITALIA S.p.A. Registration number: EPTAS2018-00225 exp. 25-Nov-2023

The information in this safety data sheet has been obtained from the best available or known to us on the market at the revision date indicated. Neither the company holding this sheet nor its subsidiaries will be able to accept complaints arising from improper use of the information indicated here or from improper use in applying the product. Pay particular attention to the use of preparations because improper use can increase their danger.

END OF SAFETY DATA SHEET

<div>Mr&Mrs</div> <div>FRAGRANCE</div>	MATERIAL SAFETY DATA SHEET		JEFF
	RASPBERRY & PATCHOULI		
Current revision date: 04/07/2023	Current revision number: 00	Previous revision date: - /- -/ -	Previous revision number: - -

This safety data sheet has been translated with an automatic system.
We thank all the people who want to report any anomalies in the translation.