

Welcome to the Thermacell family!

KEEP OUT OF REACH OF CHILDREN CAUTION: See box for additonal First Aid and Precautions

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Install the ZoneCheck[™] Monitor Battery:

To install battery, remove bottom compartment cover. Remove the battery compartment. Insert 4 AA batteries and gently press battery compartment back in original positon. Replace compartment cover.



TO USE THE MOSQUITO REPELLENT

Insert Cartridges:

Remove the cover at the bottom of the mosquito repeller. Remove the cartridge cap(s) if present. Place 1 to 4 Thermacell cartridges into the ports. Multiple cartridges extend runtime,

and do not affect performance. If using only 2 cartridges, place them in opposite ports (as shown). Close cover.

Insert Mat:

Remove protective cover from mosquito repeller. Remove one Thermacell[®] Mosquito Repellent Mat from wrapper. Insert the mat under the grill.

Turn On:

Place mosquito repeller on a flat level surface. Move switch to ON position. The ZoneCheck™ indicator light will begin to pulse. Wait approximately 3-5 seconds then turn to the START position until it clicks. The pulsing light will change to solid white in a few minutes, indicating the zone is being created.

Turn Off:

Move switch to the OFF position. Allow device to cool. Return cover to original position on top of the mosquito repeller.

To Replace Mat:

Mats turn from pale blue to white



when mosquito repellent needs to be replaced. Mosquito Repeller should be OFF. Allow grill to cool. Push the used mat out by inserting a new mat.

Useful Tips

- Allow 10 to 30 minutes, depending upon the size of the area, for product to take effect.
- This product works best in outdoor areas where there is minimal air movement, such as decks, unenclosed porches and patios.
- Use one mosquito repeller for 225 square feet or 15 feet in diameter.

- Some visible vapor will appear during use; this is normal.
- Light requires 4 AA batteries
- The mosquito repellent and light features operate independently.
- Altitudes above 7,000 ft may effect product performance.

Troubleshooting If you do not see an orange glow through view window	 Check the amount of fuel in the cartridge. If cartridge is empty or near empty, remove cartridge and replace with a new Thermacell cartridge. Repeat "Turn On" directions. Confirm the orange glow is visible. If there is still no orange light visible, make sure the cartridge is completely screwed into place. Repeat "Turn On" directions. Confirm the orange glow is visible.
Not sure product is working?	 Place product upwind for maximum mosquito repellency. Windy conditions can reduce effectiveness. Check the mat, Mats turn from pale blue to white when it has been exhausted, See directions "To Replace Mat".
Still have questions?	Call customer service at 1-866-753-3837 or email Service@Thermacell.com

Use Restrictions:

Only for outdoor use as a mosquito repellent. Do not use indoors, in tents or in any enclosed area. Do not insert anything other than Thermacell[®] mats into the mosquito repeller. Cover or remove all exposed food. Do not leave mosquito repeller unattended or use in windy conditions. Do not expose mosquito repeller or mats to rain. Place mosquito repeller on a flat, stable surface with the grill facing upward. Do not touch the grill; it will be hot after a couple of minutes. Clean with a damp cloth only when the mosquito repeller is cool and inactive. Only Thermacell[®] mats and cartridges will work in this mosquito repeller.