Revision: 19.05.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version number 12

Printing date 19.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL · Article number: 16830083000 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture impregnation spray for leather • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Salzenbrodt GmbH & Co KG Internationale Schuh- und Lederpflege Hermsdorfer Straße 70 D-13437 Berlin Tel.: +49 30 41404-512 · Informing department: Product Safety Departement, direct call +49 30 41404545; Mobil +49 162 1096464 e-mail: productsafety@collonil.de · 1.4 Emergency telephone number: In case of medical emergency: Poison advisory center Berlin Tel.+49(0)30/30686700 Transport of dangerous goods: Fire Brigade Bayer AG Tel. +49(0)30/4681-4208 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation. Skin Irrit. 2 STOT SE 3 H336 May cause drowsiness or dizziness. H304 Asp. Tox. 1 May be fatal if swallowed and enters airways. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02, GHS07, GHS09 · Signal word Danger · Hazard-determining components of labelling: *Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane* · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements If medical advice is needed, have product container or label at hand. P101

(Contd. on page 2)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

(Contd. of page 1)

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251Do not pierce or burn, even after use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.

P312 Call a POISON CENTER/doctor if you feel unwell.

- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: waterproofing agents in hydrocarbon solvents, filled with propellant

· Dangerous components	3:	
CAS: 64742-49-0	<i>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane</i>	50-100%
EC number: 921-024-6	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 106-97-8	butane	25-50%
EINECS: 203-448-7	🚸 Flam. Liq. 1, H224	
CAS: 74-98-6	propane	2.5-<10%
EINECS: 200-827-9	🚸 Flam. Liq. 1, H224	
CAS: 109-87-5	dimethoxymethane	2.5-<10%
EINECS: 203-714-2	🚸 Flam. Liq. 2, H225	
CAS: 141-78-6	ethyl acetate	< 2.5%
EINECS: 205-500-4	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
· Additional information	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation In case of unconsciousness bring patient into stable side position for transport.

- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed Daze
- +4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents
- Water.

Water with a full water jet.

(Contd. on page 3)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

(Contd. of page 2) • 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

- \cdot 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · 6.4 Reference to other sections See Section 7 for information on safe handling

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
 Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Buildup of explosive mixtures possible without sufficient ventilation. Keep out of reach of children.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- *Requirements to be met by storerooms and containers:* Store in cool location. Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight.
- Protect from neat and alrect sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical systems: No further data; see item 7.

• Components with critical values that require monitoring at the workplace:

CAS: 106-97-8 butane (25-50%)

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

CAS: 109-87-5 dimethoxymethane (2.5-10%)

WEL Short-term value: 3950 mg/m³, 1250 ppm

Long-term value: 3160 mg/m³, 1000 ppm

(Contd. on page 4)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

	(Contd. of page
CAS: 141-78-6 ethyl acetate (<2.5%)	
WEL Short-term value: 1468 mg/m ³ , 400 ppm	
Long-term value: 734 mg/m ³ , 200 ppm	
Additional information: The lists that were valid during the com	pilation were used as basis.
8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic measures	
Keep away from foodstuffs, beverages and food.	
Instantly remove any soiled and impregnated garments.	
Wash hands during breaks and at the end of the work.	
Do not inhale gases / fumes / aerosols.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
In case of brief exposure or low pollution use breathing filte exposure use breathing apparatus that is independent of circulat	
Only during spraying without adequate removal by suction.	
Protection of hands:	
Protective gloves.	
The glove material has to be impermeable and resistant to the pr	oduct/ the substance/ the preparation.
Selection of the glove material on consideration of the per degradation	
Material of gloves	
Nitrile rubber, NBR	
Fluorocarbon rubber (Viton)	
The selection of the suitable gloves does not only depend on the and varies from manufacturer to manufacturer. As the produc resistance of the glove material can not be calculated in advanc application.	t is a preparation of several substances, t
Penetration time of glove material	
The exact break trough time has to be found out by the manufa observed.	acturer of the protective gloves and has to
For the permanent contact of a maximum of 15 minutes g	loves made of the following materials a
suitable:	
Fluorocarbon rubber (Viton)	
Eve protection: Tightly sealed safety glasses.	

*

SECTION 9: Physical and chemical properties

General Information		
Appearance:		
Form:	Aerosol	
Colour:	According to product specification	
Smell:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	not applicable	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling ra	nge: -48 °C	
01 0	Not applicable, as aerosol	
Flash point:	-97 °C	
-	Not applicable, as aerosol	
Inflammability (solid, gaseous)	Not applicable.	
		(Contd. on page

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

	(Contd. of page 4
Ignition temperature:	200 °C
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air steam mixtures is possible.
Critical values for explosion:	
Lower:	1.0 Vol %
Upper:	8.5 Vol %
Steam pressure at 20 °C:	2100 hPa
Density at 20 °C	$0.64943 \ g/cm^3$
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	68.9 %
Solids content:	0.9 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Oral	LD50	>5840 mg/kg (rat)
Dermal	LD50	>2920 mg/kg (rabbit)
Inhalative	LC50/4 h	>25.2 mg/l (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

• Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

biodegradability 98 % IC50/72h 30 mg/l (algae) EC50/48 h 3 mg/l (daphnia)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
· IMDG	AEROSOLS
·IATA	AEROSOLS, flammable

(Contd. of page 5)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
2	
Class	2.1 2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Kemler Number:	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS with a capacity above 1 life Category B. For WASTE AEROSOLS: Category C, Clea
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre.
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
147 Tunnen aut in La II	
14.7 Transport in bulk according to Anne Marpol and the IBC Code	x 11 of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR	· · · · · · · · · · · · · · · · ·
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	<i>D</i>
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL

(Contd. on page 8)

Printing date 19.05.2021

Version number 12

Revision: 19.05.2021

Trade name Collonil Nanopro Spray (239) 300 ml CZ SK PL

(Contd. of page 7)

SECTION 15: Regulatory information

None of the ingredients is listed.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations

• Technical instructions (air):

Class	Share in %
III	50-100
NK	2,5-10

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

Complete H-phrases of the ingredients, if mentioned in chapter 3 "information on ingredients": H224 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. · Department issuing data specification sheet: Product Safety Department · Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aerosol 1: Aerosols - Category 1 Flam. Liq. 1: Flammable liquids - Category 1 Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 • * Data compared to the previous version altered.